	ES 5MT	ES CVT	ES PLUS	SE	SEL
SAFETY					
DUAL FRONT AIRBAGS	STD	STD	STD	STD	STD
SIDE-IMPACT CURTAIN AIRBAGS (FRONT AND REAR)	STD	STD	STD	STD	STD
FRONT-SEAT MOUNTED SIDE- IMPACT AIRBAGS	STD	STD	STD	STD	STD
DRIVER'S KNEE AIRBAG	STD	STD	STD	STD	STD
ANTI-LOCK BRAKING SYSTEM (ABS)	STD	STD	STD	STD	STD
ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)	STD	STD	STD	STD	STD
ACTIVE STABILITY CONTROL (ASC)	STD	STD	STD	STD	STD
TRACTION CONTROL LOGIC (TCL)	STD	STD	STD	STD	STD
BRAKE OVERRIDE SYSTEM (BOS)	STD	STD	STD	STD	STD
BRAKE ASSIST SYSTEM (BAS)	STD	STD	STD	STD	STD
ANTI-THEFT ENGINE IMMOBILIZER	STD	STD	STD	STD	STD

LATCH SYSTEM (LOWER ANCHORS AND TETHERS FOR CHILD RESTRAINT SEATS)	STD	STD	STD	STD	STD
REAR DOOR CHILD SAFETY LOCKS	STD	STD	STD	STD	STD
3-POINT SEATBELTS FOR ALL SEATING POSITIONS	STD	STD	STD	STD	STD
HEIGHT ADJUSTABLE FRONT SEATBELTS	STD	STD	STD	STD	STD
FRONT SEATBELT PRETENSIONERS WITH FORCE LIMITERS	STD	STD	STD	STD	STD
HEIGHT ADJUSTABLE HEAD RESTRAINTS (DRIVER AND FRONT PASSENGER)	STD	STD	STD	STD	STD
RISE BODY CONSTRUCTION	STD	STD	STD	STD	STD
DAYTIME RUNNING LAMPS AND REAR CENTRE HIGH MOUNT STOP LAMP	STD	STD	STD	STD	STD
HILL START ASSIST	STD	STD	STD	STD	STD

1.2 L DOHC MIVEC 3 CYLINDER ENGINE	STD	STD	STD	STD	STD
5-SPEED MANUAL TRANSMISSION	STD	-	STD	-	-
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	-	STD	OPT	STD	STD
FRONT MACPHERSON STRUT AND REAR TORSION BEAM SUSPENSION	STD	STD	STD	STD	STD
FRONT STABILIZER BAR	STD	STD	STD	STD	STD
VENTILATED FRONT DISC AND REAR DRUM BRAKES	STD	STD	STD	STD	STD
ELECTRIC POWER ASSISTED RACK AND PINION STEERING	STD	STD	STD	STD	STD
EXTERIOR					
14" STEEL WHEELS WITH WHEELCOVERS	STD	STD	STD	-	-
14" ALLOY WHEELS	-	-	-	STD	-
15" ALLOY WHEELS	-	-	-	-	STD
P165/65 R14 ALL-SEASON TIRES	STD	STD	STD	STD	-

SPACE SAVER TIME AUTO-OFF HOLOAMPS TO STD	P175/55 R15 ALL-SEASON TIRES	-	-	-	-	STD
HALOGEN HEADLAMPS HID HEADLAMPS STD FRONT FOG STD REAR LED COMBINATION STD FOLDING POWER SIDE-VIEW MIRRORS FOLDING POWER SIDE-VIEW MIRRORS FOLDING POWER SIDE-VIEW MIRRORS FOLDING POWER SIDE-VIEW MIRRORS THE STD STD STD STD STD STD STD STD	TEMPORARY	STD	STD	STD	STD	STD
FRONT FOG LAMPS FRONT FOG STD	HALOGEN	STD	STD	STD	STD	-
REARLED STD STD STD STD STD STD STD STD STD ST	HID HEADLAMPS	-	-	-	-	STD
FOLDING POWER SIDE-VIEW MIRRORS HEATED AND FOLDING PUBLISHED VIEW MIRRORS WITH MIRRORS AND LIFTGATE HANDLE SIDE MARKER LAMPS SIDE MARKER SIDE SID		-	-	-	STD	STD
POWER SIDE- VIEW MIRRORS HEATED AND FOLDING POWER SIDE- VIEW MIRRORS WITH INTEGRATED TURN SIGNAL LAMP BODY_COLOUR SIDE-VIEW MIRRORS AND DOOR HANDLES AND LIFTGATE HANDLE SIDE MARKER LAMPS STD STD STD STD STD STD STD S	COMBINATION	STD	STD	STD	STD	STD
FOLDING POWER SIDE- VIEW MIRRORS WITH INTEGRATED TURN SIGNAL LAMP BODY-COLOUR SIDE-VIEW MIRRORS AND DOOR HANDLES AND LIFTGATE HANDLE SIDE MARKER LAMPS STD STD STD STD STD STD STD S	POWER SIDE-	STD	STD	STD	-	-
SIDE-VIEW MIRRORS AND DOOR HANDLES AND LIFTGATE HANDLE SIDE MARKER STD STD GREEN STD STD STD STD STD VARIABLE INTERMITTENT WINDSHIELD STD STD STD STD STD STD STD STD STD STD STD STD STD	FOLDING POWER SIDE- VIEW MIRRORS WITH INTEGRATED TURN SIGNAL	-	-	-	STD	STD
GREEN STD STD STD STD STD VARIABLE INTERMITTENT WINDSHIELD WIPERS AND	SIDE-VIEW MIRRORS AND DOOR HANDLES AND LIFTGATE	STD	STD	STD	STD	STD
LAMINATED WINDSHIELD VARIABLE STD STD STD STD STD STD WINDSHIELD WIPERS AND	SIDE MARKER LAMPS	STD	STD	STD	-	-
INTERMITTENT WINDSHIELD WIPERS AND	LAMINATED	STD	STD	STD	STD	STD
	INTERMITTENT WINDSHIELD WIPERS AND	STD	STD	STD	STD	STD

ROOF MOUNT ANTENNA - SHORT	STD	STD	STD	STD	STD
REAR WINDOW DEFROSTER WITH TIMER	STD	STD	STD	STD	STD
FRONT, SIDE AND REAR AIRDAMS	STD	STD	STD	STD	STD
REAR WING SPOILER	STD	STD	STD	STD	STD
CHROME PLATED HEADLAMP GARNISH	ACC	ACC	ACC	ACC	ACC
CHROME PLATED TAILGATE GARNISH	ACC	ACC	ACC	ACC	ACC
MUDGUARDS (FRONT)	ACC	ACC	ACC	ACC	ACC
MUDGUARDS (REAR)	ACC	ACC	ACC	ACC	ACC
WHEEL LOCKS	-	-	-	ACC	ACC
ROOF RACK CARRIER SYSTEM	ACC	ACC	ACC	ACC	ACC
WITTENAN					
INTERIOR					
HEATED FRONT SEATS	-	-	-	STD	STD
4-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING AND RECLINING)	STD	STD	STD	_	-

6-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING, RECLINING AND HEIGHT ADJUSTABLE)	-	-	-	STD	STD
4-WAY ADJUSTABLE FRONT PASSENGER SEAT	STD	STD	STD	STD	STD
60/40 SPLIT FOLDING REAR SEAT	STD	STD	STD	STD	STD
FABRIC SEATING SURFACES	STD	STD	STD	-	-
PREMIUM FABRIC SEATING SURFACES WITH CONTRAST STITCHING	-	-	-	STD	STD
DRIVER AND FRONT PASSENGER SUN VISORS	STD	STD	STD	STD	STD
DRIVER'S SIDE VANITY MIRROR	STD	STD	STD	STD	STD
TRUNK LAMP	STD	STD	STD	STD	STD
RETRACTABLE ASSIST GRIPS (2)	STD	STD	STD	STD	STD
12V ACCESSORY OUTLET (1)	STD	STD	STD	STD	STD
FLOOR CENTRE CONSOLE CUP HOLDERS	STD	STD	STD	STD	STD

DOOR TRIM POCKET WITH INTEGRATED BOTTLE (500 ML) HOLDERS (2)	STD	STD	STD	STD	STD
URETHANE STEERING WHEEL	STD	STD	STD	-	-
LEATHER- WRAPPED STEERING WHEEL	,	+	+	STD	STD
STEERING WHEEL WITH PIANO BLACK AND CHROME ACCENTS	-	-	-	STD	STD
URETHANE GEAR SHIFT KNOB	STD	STD	STD	-	-
LEATHER- WRAPPED GEAR SHIFT KNOB	-	-	-	STD	STD
URETHANE PARKING BRAKE LEVER WITH CHROME BUTTON	STD	STD	STD	STD	STD
PIANO BLACK SHIFTER TRIM PANEL	-	-	-	STD	STD
METER WITH SILVER PAINTED ACCENT	-	-	-	STD	STD
MATERIAL BLACK INSTRUMENT PANEL AND FRONT DOOR ACCENTS	STD	STD	STD	-	-
PIANO BLACK INSTRUMENT PANEL AND FRONT DOOR ACCENTS	-	-	-	STD	STD

BLACK INTERIOR DOOR HANDLES	STD	STD	STD	-	-
CHROME FRONT AND BLACK REAR INTERIOR DOOR HANDLES	-	-	+	STD	STD
FLOOR MATS	STD	STD	STD	STD	STD
CARGO MAT	ACC	ACC	ACC	ACC	ACC
CARGO NET	ACC	ACC	ACC	ACC	ACC
CENTER CONSOLE ILLUMINATION KIT BLUE LED	ACC	ACC	ACC	ACC	ACC
FLOOR ILLUMINATION, BLUE LED	ACC	ACC	ACC	ACC	ACC
LUGGAGE TRAY	ACC	ACC	ACC	ACC	ACC
ALL-SEASON FLOOR GUARDS	ACC	ACC	ACC	ACC	ACC
COMFORT & CONV	ZENIENCE				
AUTOMATIC CLIMATE CONTROL	-	-	-	STD	STD
MANUAL AIR CONDITIONING	-	-	STD	-	-
MICRON AIR FILTRATION	-	-	STD	STD	STD
REAR HEATER FLOOR DUCTS	STD	STD	STD	STD	STD

BLUETOOTH® 2.0 HANDS-FREE CELLULAR PHONE INTERFACE WITH STREAMING AUDIO AND USB INPUT WITH VOICE CONTROL	-		STD	STD	STD
POWER DOOR LOCKS WITH REMOTE KEYLESS ENTRY	-		STD	STD	STD
POWER FRONT WINDOWS WITH AUTO-DOWN DRIVER'S WINDOW	STD	STD	-	-	-
POWER WINDOWS WITH AUTO-UP AND DOWN DRIVER'S WINDOW	-	-	STD	STD	STD
CRUISE CONTROL	-	-	-	STD	STD
140-WATT AM/FM/CD/MP3 AUDIO WITH 4 SPEAKERS	STD	STD	STD	STD	-
AM/FM DISPLAY AUDIO WITH 4 SPEAKERS FEATURING ANDROID AUTO™ AND APPLE CARPLAY	-	-	-	-	STD
REARVIEW CAMERA	-	-	-	-	STD
STEERING WHEEL- MOUNTED CRUISE AND AUDIO CONTROLS	-	-	-	STD	STD

STEERING WHEEL- MOUNTED AUDIO CONTROLS	-	-	STD	-	-
TILT AND HEIGHT ADJUSTABLE STEERING WHEEL	STD	STD	STD	STD	STD
RHEOSTAT	STD	STD	STD	STD	STD
SEMI HIGH- CONTRAST METERS	-	-	-	STD	STD
MULTI- INFORMATION DISPLAY (TRIP METER, ODOMETER, AVERAGE FUEL CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, CVT POSITION INDICATOR [CVT MODEL ONLY], WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING)	STD	STD	STD	STD	STD
"ECO" MODE INDICATOR (EQUIPPED ON CVT)	-	STD	OPT	STD	STD
SEATBELT REMINDER LAMP	STD	STD	STD	STD	STD
REMOTE FUEL LID RELEASE	STD	STD	STD	STD	STD
WASHER FLUID LEVEL WARNING LAMP	STD	STD	STD	STD	STD

EXTERIOR COLOUR	ks				
INFRARED	STD	STD	STD	STD	STD
SAPPHIRE BLUE	STD	STD	STD	STD	STD
STARLIGHT SILVER	STD	STD	STD	STD	STD
SUNRISE ORANGE	STD	STD	STD	STD	STD
TITANIUM GREY	STD	STD	STD	STD	STD
MYSTIC BLACK	OPT	OPT	OPT	OPT	OPT
WINE RED	OPT	OPT	OPT	OPT	OPT
PEARL WHITE	OPT	OPT	OPT	OPT	OPT
INTERIOR COLOUR	S				
BLACK FABRIC	STD	STD	STD	-	-
BLACK PREMIUM FABRIC	-	-	+	STD	STD
ENGINE					
ENGINE TYPE	1.2L I3				
ENGINE CODE	3A92	3A92	3A92	3A92	3A92
VALVE TRAIN	DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)				
DISPLACEMENT (CC/CU IN.)	1,193 cc / 72.8cu in.				
BORE X STROKE (IN/MM.)	75.0 x 90.0 mm / 3.0 x 3.5 in	75.0 x 90.0 mm / 3.0 x 3.5 in	75.0 x 90.0 mm / 3.0 x 3.5 in	75.0 x 90.0 mm / 3.0 x 3.5 in	75.0 x 90.0 mm / 3.0 x 3.5 in

HORSEPOWER @ RPM (BHP) 78 hp @ 6,000 rpm 74 lbft. @ 4,000 rpm	COMPRESSION RATIO	10.5:1	10.5:1	10.5:1	10.5:1	10.5:1
ENGINE BLOCK Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum CYLINDER HEADS Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum REDLINE RPM 6,500 rpm 6,500 rpm 6,500 rpm 6,500 rpm 6,500 rpm FUEL SYSTEM MPI MPI MPI MPI MPI MPI		78 hp @ 6,000 rpm				
CYLINDER HEADS Aluminum Aluminum Aluminum Aluminum Aluminum REDLINE RPM 6,500 rpm 6,500 rpm 6,500 rpm 6,500 rpm 6,500 rpm FUEL SYSTEM MPI MPI MPI MPI MPI		74 lbft. @ 4,000 rpm				
HEADS FUEL SYSTEM MPI <	ENGINE BLOCK	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
FUEL SYSTEM MPI MPI MPI MPI MPI MPI MPI		Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
	REDLINE RPM	6,500 rpm	6,500 rpm	6,500 rpm	6,500 rpm	6,500 rpm
EMISSIONS Tier 3 bin 70	FUEL SYSTEM	MPI	MPI	MPI	MPI	MPI
	EMISSIONS	Tier 3 bin 70				
RECOMMENDED Regular Unleaded, 87 octane						Regular Unleaded, 87 octane

TRANSMISSION						
TYPE	5-speed manual	-	5-speed manual	-	-	
MANUAL RATIOS		-	-			
1ST	3.545	-	3.545	-	-	
2ND	1.913	-	1.913	-	-	
3RD	1.310	-	1.310	-	-	
4TH	0.973	-	0.973	-	-	
5TH	0.804	-	0.804	-	-	
REVERSE	3.214	-	3.214	-	-	
FINAL DRIVE	4.055	-	4.055	-	-	
TYPE	-	CVT with INVEC-III	CVT with INVEC-III	CVT with INVEC-III	CVT with INVEC-III	

CVT RATIOS	-	Continuously variable between 4.007 - 0.550				
REVERSE	-	3.771	3.771	3.771	3.771	
FINAL DRIVE	-	3.757	3.757	3.757	3.757	
SUSPENSION						
FRONT	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut	
REAR	Torsion Beam	Torsion Beam	Torsion Beam	Torsion Beam	Torsion Beam	
EXTERIOR DIMENS	IONS					
WHEELBASE (MM/IN.)	2,450 mm / 96.5 in.	2,450 mm / 96.5 in.	2,450 mm / 96.5 in.	2,450 mm / 96.5 in.	2,450 mm / 96.5 in.	
LENGTH (MM/IN.)	3,795 mm / 149.4 in.	3,795 mm / 149.4 in.	3,795 mm / 149.4 in.	3,795 mm / 149.4 in.	3,795 mm / 149.4 in.	
WIDTH (MM/IN.)	1,665 mm / 65.6 in.	1,665 mm / 65.6 in.	1,665 mm / 65.6 in.	1,665 mm / 65.6 in.	1,665 mm / 65.6 in.	
HEIGHT (MM/IN.)	1,510 mm / 59.4 in.	1,510 mm / 59.4 in.	1,510 mm / 59.4 in.	1,510 mm / 59.4 in.	1,510 mm / 59.4 in.	
TRACK, FRONT (MM/IN.)	1,430 mm / 56.3 in.	1,430 mm / 56.3 in.	1,430 mm / 56.3 in.	1,430 mm / 56.3 in.	1,430 mm / 56.3 in.	
TRACK, REAR (MM/IN.)	1,415 mm / 55.7 in.	1,415 mm / 55.7 in.	1,415 mm / 55.7 in.	1,415 mm / 55.7 in.	1,415 mm / 55.7 in.	
MIN. GROUND CLEARANCE (MM/IN.)	160 mm / 6.3 in.	160 mm / 6.3 in.	160 mm / 6.3 in.	160 mm / 6.3 in.	160 mm / 6.3 in.	
INTERIOR DIMENSIONS						
PASSENGER SEATING CAPACITY	5	5	5	5	5	
INTERIOR VOLUME (L/CU. FT.)	2,927 L / 103.3 cu ft	2,927 L / 103.3 cu ft	2,927 L / 103.3 cu ft	2,927 L / 103.3 cu ft	2,927 L / 103.3 cu ft	

PASSENGER VOLUME (L/CU. FT.)	2,440 L / 86.1 cu ft				
CARGO VOLUME (L/CU. FT.)	487 L / 17.2 cu ft				
PASSENGER SPACE	E				
FRONT HEAD ROOM (MM/IN.)	992 mm / 39.1 in.				
FRONT SHOULDER ROOM (MM/IN.)	1,314 mm / 51.7 in.				
FRONT HIP ROOM (MM/IN.)	1,241 mm / 48.9 in.				
FRONT LEG ROOM (MM/IN.)	1,058 mm / 41.7 in.				
REAR HEAD ROOM (MM/IN.)	947 mm / 37.3 in.				
REAR SHOULDER ROOM (MM/IN.)	1,296 mm / 51.0 in.				
REAR HIP ROOM (MM/IN.)	1,245 mm / 49.0 in.				
REAR LEG ROOM (MM/IN.)	864 mm / 34.0 in.				
WEIGHTS					
GVWR (KG/LBS) - MT	1,320 kg / 2,910 lbs	-	1,320 kg / 2,910 lbs	-	-
GVWR (KG/LBS) - CVT	-	1,370 kg / 3,020 lbs			
CURB WEIGHT (KG/LBS) - MT	915 kg / 2,018 lbs	-	915 kg / 2,018 lbs	-	-

CURB WEIGHT (KG/LBS) - CVT	-	940 kg / 2,073 lbs	940 kg / 2,073 lbs	950 kg / 2,094 lbs	960 kg / 2,117 lbs
STEERING					
TYPE	Rack-and-pinion, Electric Power Assist				
RATIO	40.65 mm/rev				
TURN CIRCLE - CURB TO CURB (M/FT)	9.2 m / 30.2 ft				
BRAKES					
FRONT BRAKE TYPE	Ventilated Disc				
ANTI-LOCK BRAKES	4 sensor, 4 channel with EBD				
FUEL CAPACITY					
FUEL CAPACITY FUEL TANK CAPACITY (L/GAL.)	35 L / 7.7 gal.				
FUEL TANK CAPACITY		35 L / 7.7 gal.			
FUEL TANK CAPACITY (L/GAL.)		35 L / 7.7 gal.	35 L / 7.7 gal. 7.1 L/100 km	35 L / 7.7 gal.	35 L / 7.7 gal.
FUEL TANK CAPACITY (L/GAL.) ESTIMATED FUEL (CONSUMPTION	35 L / 7.7 gal.		35 L / 7.7 gal.	35 L / 7.7 gal.
FUEL TANK CAPACITY (L/GAL.) ESTIMATED FUEL 5MT - CITY (L/100 KM) 5MT - HIGHWAY	CONSUMPTION 7.1 L/100 km	35 L / 7.7 gal.	7.1 L/100 km	35 L / 7.7 gal.	35 L / 7.7 gal.
FUEL TANK CAPACITY (L/GAL.) ESTIMATED FUEL (5MT - CITY (L/100 KM) 5MT - HIGHWAY (L/100 KM)	7.1 L/100 km 5.8 L/100 km	35 L / 7.7 gal. - - - 6.4 L/100 km	7.1 L/100 km 5.8 L/100 km	35 L / 7.7 gal. - - - 6.4 L/100 km	35 L / 7.7 gal. - - 6.4 L/100 km

WHEELS & TIRES					
WHEEL TYPE	Steel	Steel	Steel	Aluminum alloy	Aluminum alloy
WHEEL SIZE	14 in.	14 in.	14 in.	14 in.	15 in.
TIRE SIZE	P165/65R14	P165/65R14	P165/65R14	P165/65R14	P175/55R15
TIRE TYPE	All-season	All-season	All-season	All-season	All-season
SPARE TIRE	T115/70D14	T115/70D14	T115/70D14	T115/70D14	T115/70D14
WARRANTIES					
BASIC	5 years / 100,000 kms				
POWERTRAIN	10 years / 160,000 kms				
ROADSIDE	5 years / unlimited km				