	ES 5MT	ES CVT	ES PLUS	SE
SAFETY				
DUAL FRONT AIRBAGS	STD	STD	STD	STD
SIDE-IMPACT CURTAIN AIRBAGS (FRONT AND REAR)	STD	STD	STD	STD
FRONT-SEAT MOUNTED SIDE- IMPACT AIRBAGS	STD	STD	STD	STD
DRIVER'S KNEE AIRBAG	STD	STD	STD	STD
ANTI-LOCK BRAKING SYSTEM (ABS)	STD	STD	STD	STD
ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)	STD	STD	STD	STD
ACTIVE STABILITY CONTROL (ASC)	STD	STD	STD	STD
TRACTION CONTROL LOGIC (TCL)	STD	STD	STD	STD
BRAKE OVERRIDE SYSTEM (BOS)	STD	STD	STD	STD
BRAKE ASSIST SYSTEM (BAS)	STD	STD	STD	STD
ANTI-THEFT ENGINE IMMOBILIZER	STD	STD	STD	STD

LATCH SYSTEM (LOWER ANCHORS AND TETHERS FOR CHILD RESTRAINT SEATS)	STD	STD	STD	STD
REAR DOOR CHILD SAFETY LOCKS	STD	STD	STD	STD
3-POINT SEATBELTS FOR ALL SEATING POSITIONS	STD	STD	STD	STD
HEIGHT ADJUSTABLE FRONT SEATBELTS	STD	STD	STD	STD
FRONT SEATBELT PRETENSIONERS WITH FORCE LIMITERS	STD	STD	STD	STD
HEIGHT ADJUSTABLE HEAD RESTRAINTS (DRIVER AND FRONT PASSENGER)	STD	STD	STD	STD
RISE BODY CONSTRUCTION	STD	STD	STD	STD
DAYTIME RUNNING LAMPS AND REAR CENTRE HIGH MOUNT STOP LAMP	STD	STD	STD	STD
PERFORMANCE				

PERFORMANCE				
1.2 L DOHC MIVEC 3 CYLINDER ENGINE (74 HP)	STD	STD	STD	STD

5-SPEED MANUAL TRANSMISSION	STD	-	STD	STD
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	-	STD	OPT	OPT
FRONT MACPHERSON STRUT AND REAR TORSION BEAM SUSPENSION	STD	STD	STD	STD
FRONT STABILIZER BAR	STD	STD	STD	STD
VENTILATED FRONT DISC AND REAR DRUM BRAKES	STD	STD	STD	STD
ELECTRIC POWER ASSISTED RACK AND PINION STEERING	STD	STD	STD	STD
HILL START ASSIST (CVT ONLY)	-	STD	OPT	OPT
EXTERIOR				
14" STEEL WHEELS WITH WHEELCOVERS	STD	STD	STD	-
14" ALLOY WHEELS	-	-	-	STD
P165/65 R14 ALL-SEASON TIRES	STD	STD	STD	STD
SPACE SAVER TEMPORARY TIRE	STD	STD	STD	STD

AUTO-OFF HALOGEN HEADLAMPS	STD	STD	STD	STD
FRONT FOG LAMPS	-	-	-	STD
FOLDING POWER SIDE- VIEW MIRRORS	STD	STD	STD	-
HEATED AND FOLDING POWER SIDE- VIEW MIRRORS WITH INTEGRATED TURN SIGNAL LAMP	+	-	-	STD
BLACK SIDE- VIEW MIRRORS, DOOR HANDLES AND TAILGATE HANDLE	STD	STD	STD	-
BODY-COLOUR SIDE-VIEW MIRRORS, DOOR HANDLES AND TAILGATE HANDLE	-	-	-	STD
SIDE MARKER LAMPS	STD	STD	STD	-
GREEN LAMINATED WINDSHIELD	STD	STD	STD	STD
VARIABLE INTERMITTENT WINDSHIELD WIPERS AND WASHER	STD	STD	STD	STD
ROOF MOUNT ANTENNA - SHORT	STD	STD	STD	STD
REAR WINDOW DEFROSTER WITH TIMER	STD	STD	STD	STD

REAR WING SPOILER	STD	STD	STD	STD
CHROME PLATED HEADLAMP GARNISH	ACC	ACC	ACC	ACC
CHROME PLATED REAR LAMP GARNISH	ACC	ACC	ACC	ACC
CHROME PLATED TAILGATE GARNISH	ACC	ACC	ACC	ACC
MUDGUARDS (FRONT)	ACC	ACC	ACC	ACC
MUDGUARDS (REAR)	ACC	ACC	ACC	ACC
WHEEL LOCKS	ACC	ACC	ACC	ACC
INTERIOR				
INTERIOR  4-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING AND RECLINING)	STD	STD	STD	
4-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING AND	STD	STD	STD -	STD
4-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING AND RECLINING) HEATED FRONT				

60/40 SPLIT FOLDING REAR SEAT	STD	STD	STD	STD
FABRIC SEATING SURFACES	STD	STD	STD	STD
DRIVER AND FRONT PASSENGER SUN VISORS	STD	STD	STD	STD
DRIVER'S SIDE VANITY MIRROR	STD	STD	STD	STD
TRUNK LAMP	STD	STD	STD	STD
RETRACTABLE ASSIST GRIPS (2)	STD	STD	STD	STD
12V ACCESSORY OUTLET (1)	STD	STD	STD	STD
FLOOR CENTRE CONSOLE CUP HOLDERS	STD	STD	STD	STD
DOOR TRIM POCKET WITH INTEGRATED BOTTLE (500 ML) HOLDERS (2)	STD	STD	STD	STD
URETHANE STEERING WHEEL	STD	STD	STD	-
LEATHER- WRAPPED STEERING WHEEL	-	-	-	STD
STEERING WHEEL WITH SILVER ACCENTS	-	-	-	STD
URETHANE GEAR SHIFT KNOB	STD	STD	STD	-

LEATHER- WRAPPED GEAR SHIFT KNOB	-	-	-	STD
URETHANE PARKING BRAKE LEVER WITH CHROME BUTTON	STD	STD	STD	STD
METER WITH SILVER PAINTED ACCENT	-	-	-	STD
MATERIAL BLACK INSTRUMENT PANEL AND FRONT DOOR ACCENTS	STD	STD	STD	STD
BLACK INTERIOR DOOR HANDLES	STD	STD	STD	-
CHROME FRONT AND BLACK REAR INTERIOR DOOR HANDLES	-	-	-	STD
FLOOR MATS	STD	STD	STD	STD
CARGO MAT	ACC	ACC	ACC	ACC
CARGO NET	ACC	ACC	ACC	ACC
CENTER CONSOLE ILLUMINATION KIT BLUE LED	ACC	ACC	ACC	ACC
FLOOR ILLUMINATION, BLUE LED	ACC	ACC	ACC	ACC
LUGGAGE TRAY	ACC	ACC	ACC	ACC
ALL-SEASON FLOOR GUARDS	ACC	ACC	ACC	ACC

AUTOMATIC CLIMATE CONTROL	-	-	-	STD	
MANUAL AIR CONDITIONING	-	-	STD	-	
MICRON AIR FILTRATION	-	-	STD	STD	
REAR HEATER FLOOR DUCTS	STD	STD	STD	STD	
BLUETOOTH® 2.0 HANDS-FREE CELLULAR PHONE INTERFACE WITH STREAMING AUDIO AND USB INPUT WITH VOICE CONTROL	_	-	STD	STD	
POWER DOOR LOCKS WITH REMOTE KEYLESS ENTRY		-	STD	STD	
POWER WINDOWS WITH AUTO-UP AND DOWN DRIVER'S WINDOW	STD	STD	STD	STD	
POWER REAR WINDOWS	-	-	STD	STD	
CRUISE CONTROL	-	-	-	STD	
140-WATT AM/FM/CD/MP3 AUDIO WITH 4 SPEAKERS	STD	STD	STD	STD	
STEERING WHEEL- MOUNTED CRUISE AND AUDIO CONTROLS	-	-	-	STD	

STEERING WHEEL- MOUNTED AUDIO CONTROLS	-	-	STD	-
TILT AND HEIGHT ADJUSTABLE STEERING WHEEL	STD	STD	STD	STD
RHEOSTAT	STD	STD	STD	STD
MULTI- INFORMATION DISPLAY (TRIP METER, ODOMETER, AVERAGE FUEL CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, CVT POSITION INDICATOR [CVT MODEL ONLY], WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING)	STD	STD	STD	STD
"ECO" MODE INDICATOR (EQUIPPED ON CVT)	-	STD	OPT	OPT
GEAR SHIFT INDICATOR (EQUIPPED ON MANUAL TRANSMISSION)	STD	-	STD	STD
SEATBELT REMINDER LAMP	STD	STD	STD	STD
REMOTE FUEL LID RELEASE	STD	STD	STD	STD

STARLIGHT SILVER	STD	STD	STD	STD
INFRARED	STD	STD	STD	STD
SAPPHIRE BLUE	STD	STD	STD	STD
PLASMA PURPLE	STD	STD	STD	STD
MYSTIC BLACK	OPT	OPT	OPT	OPT
TITANIUM GREY	STD	STD	STD	STD
WHITE	OPT	OPT	OPT	OPT
INTERIOR COLOUR	s			
BLACK FABRIC	STD	STD	STD	STD
ENGINE				
ENGINE TYPE	1.2L l3	1.2L l3	1.2L I3	1.2L I3
ENGINE CODE	3A92	3A92	3A92	3A92
VALVE TRAIN	DOLIC 12 valva Mitauhiahi			
	DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)
DISPLACEMENT (CC/CU IN.)	Innovative Valve-timing Electronic Control system	Innovative Valve-timing Electronic Control system	Innovative Valve-timing Electronic Control system	Innovative Valve-timing Electronic Control system
	Innovative Valve-timing Electronic Control system (MIVEC)	Innovative Valve-timing Electronic Control system (MIVEC)	Innovative Valve-timing Electronic Control system (MIVEC)	Innovative Valve-timing Electronic Control system (MIVEC)
(CC/CU IN.)  BORE X STROKE	Innovative Valve-timing Electronic Control system (MIVEC)  1,193 cc / 72.8cu in.	Innovative Valve-timing Electronic Control system (MIVEC)  1,193 cc / 72.8cu in.	Innovative Valve-timing Electronic Control system (MIVEC)  1,193 cc / 72.8cu in.	Innovative Valve-timing Electronic Control system (MIVEC)  1,193 cc / 72.8cu in.
(CC/CU IN.)  BORE X STROKE (IN/MM.)  COMPRESSION	Innovative Valve-timing Electronic Control system (MIVEC)  1,193 cc / 72.8cu in.  75.0 x 90.0 mm / 3.0 x 3.5 in	Innovative Valve-timing Electronic Control system (MIVEC)  1,193 cc / 72.8cu in.  75.0 x 90.0 mm / 3.0 x 3.5 in	Innovative Valve-timing Electronic Control system (MIVEC)  1,193 cc / 72.8cu in.  5.0 x 90.0 mm / 3.0 x 3.5 in	Innovative Valve-timing Electronic Control system (MIVEC)  1,193 cc / 72.8cu in.  75.0 x 90.0 mm / 3.0 x 3.5 in

ENGINE BLOCK	Aluminum	Aluminum	Aluminum	Aluminum
CYLINDER HEADS	Aluminum	Aluminum	Aluminum	Aluminum
REDLINE RPM	6,500 rpm	6,500 rpm	6,500 rpm	6,500 rpm
FUEL SYSTEM	MPI	MPI	MPI	MPI
EMISSIONS	Tier 2 bin 5			
RECOMMENDED FUEL	Regular Unleaded, 87 octane			

TRANSMISSION				
TYPE	5-speed manual	-	5-speed manual	5-speed manual
MANUAL RATIOS		-	-	
1ST	3.545	-	3.545	3.545
2ND	1.913	-	1.913	1.913
3RD	1.310	-	1.310	1.310
4TH	0.973	-	0.973	0.973
5TH	0.804	-	0.804	0.804
REVERSE	3.214	-	3.214	3.214
FINAL DRIVE	4.055	-	4.055	4.055
TYPE	-	CVT with INVEC-III	CVT with INVEC-III	CVT with INVEC-III
CVT RATIOS	-	Continuously variable between 4.007 - 0.550	Continuously variable between 4.007 - 0.550	Continuously variable between 4.007 - 0.550
REVERSE	-	3.771	3.771	3.771
FINAL DRIVE	-	3.757	3.757	3.757

SUSPENSION					
FRONT	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut	
REAR	Torsion Beam	Torsion Beam	Torsion Beam	Torsion Beam	
EXTERIOR DIMENSI	ONS				
WHEELBASE (MM/IN.)	2,450 mm / 96.5 in.				
LENGTH (MM/IN.)	3,780 mm / 148.8 in.				
WIDTH (MM/IN.)	1,665 mm / 65.6 in.				
HEIGHT (MM/IN.)	1,510 mm / 59.4 in.				
TRACK, FRONT (MM/IN.)	1,430 mm / 56.3 in.				
TRACK, REAR (MM/IN.)	1,415 mm / 55.7 in.				
MIN. GROUND CLEARANCE (MM/IN.)	160 mm / 6.3 in.				
INTERIOR DIMENSION	ONS				
PASSENGER SEATING CAPACITY	5	5	5	5	
INTERIOR VOLUME (L/CU. FT.)	2,927 L / 103.3 cu ft				
PASSENGER VOLUME (L/CU. FT.)	2,440 L / 86.1 cu ft				
CARGO VOLUME (L/CU. FT.)	487 L / 17.2 cu ft				

PASSENGER SPACE	E			
FRONT HEAD ROOM (MM/IN.)	992 mm / 39.1 in.			
FRONT SHOULDER ROOM (MM/IN.)	1,314 mm / 51.7 in.			
FRONT HIP ROOM (MM/IN.)	1,241 mm / 48.9 in.			
FRONT LEG ROOM (MM/IN.)	1,058 mm / 41.7 in.			
REAR HEAD ROOM (MM/IN.)	947 mm / 37.3 in.			
REAR SHOULDER ROOM (MM/IN.)	1,296 mm / 51.0 in.			
REAR HIP ROOM (MM/IN.)	1,245 mm / 49.0 in.			
REAR LEG ROOM (MM/IN.)	864 mm / 34.0 in.			
WEIGHTS				
GVWR (KG/LBS) - MT	1,320 kg / 2,910 lbs	-	1,320 kg / 2,910 lbs	1,320 kg / 2,910 lbs
GVWR (KG/LBS) - CVT	-	1,370 kg / 3,020 lbs	1,370 kg / 3,020 lbs	1,370 kg / 3,020 lbs
CURB WEIGHT (KG/LBS) - MT	895 kg / 1,973 lbs	-	895 kg / 1,973 lbs	905 kg / 1,996 lbs
CURB WEIGHT (KG/LBS) - CVT	-	920 kg / 2,029 lbs	920 kg / 2,029 lbs	930 kg / 2,051 lbs
STEERING				
TYPE	Rack-and-pinion, Electric Power Assist	Rack-and-pinion, Electric Power Assist	Rack-and-pinion, Electric Power Assist	Rack-and-pinion, Electric Power Assist

RATIO	40.65 mm/rev	40.65 mm/rev	40.65 mm/rev	40.65 mm/rev
TURN CIRCLE - CURB TO CURB (M/FT)	9.2 m / 30.2 ft			
BRAKES				
FRONT BRAKE TYPE	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
ANTI-LOCK BRAKES	4 sensor, 4 channel with EBD			
FUEL CAPACITY				
FUEL TANK CAPACITY (L/GAL.)	35 L / 7.7 gal.			
ESTIMATED FUEL (	CONSUMPTION			
5MT - CITY (L/100 KM)	7.0 L/100 km	-	7.0 L/100 km	7.0 L/100 km
5MT - HIGHWAY (L/100 KM)	5.5 L/100 km	-	5.5 L/100 km	5.5 L/100 km
CVT - CITY (L/100 KM)	-	6.4 L/100 km	6.4 L/100 km	6.4 L/100 km
CVT - HIGHWAY (L/100 KM)	-	5.3 L/100 km	5.3 L/100 km	5.3 L/100 km
5MT - COMBINED (L/100 KM)	6.4 L/100 km	-	6.4 L/100 km	6.4 L/100 km
CVT - COMBINED (L/100 KM)	-	5.9 L/100 km	5.9 L/100 km	5.9 L/100 km
WHEELS & TIRES				

Steel

Steel

Aluminum alloy

WHEEL TYPE

Steel

WHEEL SIZE	14 in.	14 in.	14 in.	14 in.
TIRE SIZE	P165/65R14	P165/65R14	P165/65R14	P165/65R14
TIRE TYPE	All-season	All-season	All-season	All-season
SPARE TIRE	T115/70D14	T115/70D14	T115/70D14	T115/70D14

WARRANTIES				
BASIC	5 years / 100,000 kms			
POWERTRAIN	10 years / 160,000 kms			
ROADSIDE	5 years / unlimited km			