	SE 5MT	SE CVT
SAFETY		
DUAL FRONT AIRBAGS	STD	STD
SIDE-IMPACT CURTAIN AIRBAGS (FRONT AND REAR)	STD	STD
FRONT-SEAT MOUNTED SIDE-IMPACT AIRBAGS	STD	STD
DRIVER'S KNEE AIRBAG	STD	STD
ANTI-LOCK BRAKING SYSTEM (ABS)	STD	STD
ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)	STD	STD
ACTIVE STABILITY CONTROL (ASC)	STD	STD
TRACTION CONTROL LOGIC (TCL)	STD	STD
BRAKE OVERRIDE SYSTEM (BOS)	STD	STD
BRAKE ASSIST SYSTEM (BAS)	STD	STD
ANTI-THEFT ENGINE IMMOBILIZER	STD	STD
LATCH SYSTEM (LOWER ANCHORS AND TETHERS FOR CHILD RESTRAINT SEATS)	STD	STD
REAR DOOR CHILD SAFETY LOCKS	STD	STD
3-POINT SEATBELTS FOR ALL SEATING POSITIONS	STD	STD
HEIGHT ADJUSTABLE FRONT SEATBELTS	STD	STD
FRONT SEATBELT PRETENSIONERS WITH FORCE LIMITERS	STD	STD
HEIGHT ADJUSTABLE HEAD RESTRAINTS (DRIVER AND FRONT PASSENGER)	STD	STD
RISE BODY CONSTRUCTION	STD	STD
DAYTIME RUNNING LAMPS AND REAR CENTRE HIGH MOUNT STOP LAMP	STD	STD

1.2 L DOHC MIVEC 3 CYLINDER ENGINE (74 HP)	STD	STD
5-SPEED MANUAL TRANSMISSION	STD	-
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	-	STD
FRONT MACPHERSON STRUT AND REAR TORSION BEAM SUSPENSION	STD	STD
FRONT STABILIZER BAR	STD	STD
VENTILATED FRONT DISC AND REAR DRUM BRAKES	STD	STD
ELECTRIC POWER ASSISTED RACK AND PINION STEERING	STD	STD
HILL START ASSIST (CVT ONLY)	-	STD

EXTERIOR		
14" ALLOY WHEELS	STD	STD
P165/65 R14 ALL-SEASON TIRES	STD	STD
SPACE SAVER TEMPORARY TIRE	STD	STD
AUTO-OFF HALOGEN HEADLAMPS	STD	STD
FRONT FOG LAMPS	STD	STD
HEATED AND FOLDING POWER SIDE-VIEW MIRRORS	STD	STD
BODY-COLOUR SIDE-VIEW MIRRORS, DOOR HANDLES AND TAILGATE HANDLE	STD	STD
SIDE MARKER LAMPS	STD	STD
GREEN LAMINATED WINDSHIELD	STD	STD
VARIABLE INTERMITTENT WINDSHIELD WIPERS AND WASHER	STD	STD
ROOF MOUNT ANTENNA	STD	STD
REAR WINDOW DEFROSTER WITH TIMER	STD	STD
REAR WING SPOILER	STD	STD

CHROME PLATED HEADLAMP GARNISH ACC CHROME PLATED REAR LAMP GARNISH ACC CHROME PLATED TAILGATE GARNISH ACC FRONT BUMPER EXTENSION ACC MUDGUARDS (FRONT) ACC ACC MUDGUARDS (REAR) ACC ACC REAR BUMPER EXTENSION ACC ACC ACC ACC ACC ACC	CHROME PLATED FOGLAMP GARNISH	ACC	ACC
CHROME PLATED TAILGATE GARNISH ACC FRONT BUMPER EXTENSION ACC MUDGUARDS (FRONT) ACC ACC MUDGUARDS (REAR) ACC ACC ACC	CHROME PLATED HEADLAMP GARNISH	ACC	ACC
FRONT BUMPER EXTENSION ACC MUDGUARDS (FRONT) ACC ACC MUDGUARDS (REAR) ACC ACC	CHROME PLATED REAR LAMP GARNISH	ACC	ACC
MUDGUARDS (FRONT) ACC ACC MUDGUARDS (REAR) ACC ACC	CHROME PLATED TAILGATE GARNISH	ACC	ACC
MUDGUARDS (REAR) ACC ACC	FRONT BUMPER EXTENSION	ACC	ACC
	MUDGUARDS (FRONT)	ACC	ACC
REAR BUMPER EXTENSION ACC ACC	MUDGUARDS (REAR)	ACC	ACC
	REAR BUMPER EXTENSION	ACC	ACC
PARK SENSOR KIT WITHOUT SENSORS ACC ACC	PARK SENSOR KIT WITHOUT SENSORS	ACC	ACC
SENSOR, PARK ASSIST, FLUSH KIT OF 2 SENSORS (4 SENSORS REQUIRED) ACC ACC	SENSOR, PARK ASSIST, FLUSH KIT OF 2 SENSORS (4 SENSORS REQUIRED)	ACC	ACC
SIDE MOULDING ACC ACC	SIDE MOULDING	ACC	ACC
SIDE WINDOW DEFLECTOR ACC ACC	SIDE WINDOW DEFLECTOR	ACC	ACC
WHEEL LOCKS ACC ACC	WHEEL LOCKS	ACC	ACC

INTERIOR		
HEATED FRONT SEATS	STD	STD
6-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING, RECLINING AND HEIGHT ADJUSTABLE)	STD	STD
4-WAY ADJUSTABLE FRONT PASSENGER SEAT	STD	STD
60/40 SPLIT FOLDING REAR SEAT	STD	STD
FABRIC SEATING SURFACES	STD	STD
DRIVER AND FRONT PASSENGER SUN VISORS	STD	STD
DRIVER'S SIDE VANITY MIRROR	STD	STD
TRUNK LAMP	STD	STD

RETRACTABLE ASSIST GRIPS (2)	STD	STD
12V ACCESSORY OUTLET (1)	STD	STD
FLOOR CENTRE CONSOLE CUP HOLDERS	STD	STD
DOOR TRIM POCKET WITH INTEGRATED BOTTLE (500 ML) HOLDERS (2)	STD	STD
URETHANE STEERING WHEEL	STD	STD
LEATHER-WRAPPED STEERING WHEEL	PKG	PKG
STEERING WHEEL WITH SILVER ACCENTS	STD	STD
URETHANE GEAR SHIFT KNOB	STD	STD
LEATHER-WRAPPED GEAR SHIFT KNOB	PKG	PKG
URETHANE PARKING BRAKE LEVER WITH CHROME BUTTON	STD	STD
METER WITH SILVER PAINTED ACCENT	STD	STD
MATERIAL BLACK INSTRUMENT PANEL AND FRONT DOOR ACCENTS	STD	STD
CHROME FRONT AND BLACK REAR INTERIOR DOOR HANDLES	STD	STD
FLOOR MATS	STD	STD
CARGO MAT	ACC	ACC
CARGO NET	ACC	ACC
CENTER CONSOLE ILLUMINATION KIT BLUE LED	ACC	ACC
FLOOR ILLUMINATION, BLUE LED	ACC	ACC
LUGGAGE TRAY	ACC	ACC
ALL-SEASON FLOOR GUARDS	ACC	ACC

COMFORT & CONVENIENCE			

MICRON AIR FILTRATION	STD	STD
REAR HEATER FLOOR DUCTS	STD	STD
BLUETOOTH® 2.0 HANDS-FREE CELLULAR PHONE INTERFACE WITH STREAMING AUDIO AND USB INPUT WITH VOICE CONTROL	PKG	PKG
POWER DOOR LOCKS WITH REMOTE KEYLESS ENTRY	STD	STD
POWER WINDOWS WITH AUTO-UP AND DOWN DRIVER'S WINDOW	STD	STD
POWER REAR WINDOWS	STD	STD
CRUISE CONTROL	PKG	PKG
140-WATT AM/FM/CD/MP3 AUDIO WITH 4 SPEAKERS	STD	STD
STEERING WHEEL-MOUNTED CRUISE AND AUDIO CONTROLS	PKG	PKG
TILT AND HEIGHT ADJUSTABLE STEERING WHEEL	STD	STD
RHEOSTAT	STD	STD
MULTI-INFORMATION DISPLAY (TRIP METER, ODOMETER, AVERAGE FUEL CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, CVT POSITION INDICATOR [CVT MODEL ONLY], WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING)	STD	STD
CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, CVT POSITION INDICATOR (CVT MODEL ONLY), WATER TEMPERATURE WARNING LAMP	STD	STD
CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, CVT POSITION INDICATOR [CVT MODEL ONLY], WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING)		STD - STD
CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, CVT POSITION INDICATOR [CVT MODEL ONLY], WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING) GEAR SHIFT INDICATOR (EQUIPPED ON MANUAL TRANSMISSION)		-
CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, CVT POSITION INDICATOR [CVT MODEL ONLY], WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING) GEAR SHIFT INDICATOR (EQUIPPED ON MANUAL TRANSMISSION) "ECO" MODE INDICATOR (EQUIPPED ON CVT)	STD -	- STD
CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, CVT POSITION INDICATOR [CVT MODEL ONLY], WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING) GEAR SHIFT INDICATOR (EQUIPPED ON MANUAL TRANSMISSION) "ECO" MODE INDICATOR (EQUIPPED ON CVT) SEATBELT REMINDER LAMP	STD -	- STD
CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, CVT POSITION INDICATOR [CVT MODEL ONLY], WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING) GEAR SHIFT INDICATOR (EQUIPPED ON MANUAL TRANSMISSION) "ECO" MODE INDICATOR (EQUIPPED ON CVT) SEATBELT REMINDER LAMP REMOTE FUEL LID RELEASE	STD -	- STD
CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, CVT POSITION INDICATOR [CVT MODEL ONLY], WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING) GEAR SHIFT INDICATOR (EQUIPPED ON MANUAL TRANSMISSION) "ECO" MODE INDICATOR (EQUIPPED ON CVT) SEATBELT REMINDER LAMP REMOTE FUEL LID RELEASE OPTION PACKAGES	STD - STD STD	STD STD STD
CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, CVT POSITION INDICATOR [CVT MODEL ONLY], WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING) GEAR SHIFT INDICATOR (EQUIPPED ON MANUAL TRANSMISSION) "ECO" MODE INDICATOR (EQUIPPED ON CVT) SEATBELT REMINDER LAMP REMOTE FUEL LID RELEASE OPTION PACKAGES CONVENIENCE PACKAGE	STD - STD STD OPT	- STD STD STD OPT

ENGINE		
ENGINE TYPE	1.2L I3	1.2L I3
ENGINE CODE	3A92	3A92
VALVE TRAIN	DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)
DISPLACEMENT (CC/CU IN.)	1,193 cc / 72.8cu in.	1,193 cc / 72.8cu in.
BORE X STROKE (IN/MM.)	75.0 x 90.0 mm / 3.0 x 3.5 in	75.0 x 90.0 mm / 3.0 x 3.5 in
COMPRESSION RATIO	10.5:1	10.5:1
HORSEPOWER @ RPM (BHP)	74 hp @ 6,000 rpm	74 hp @ 6,000 rpm
TORQUE @ RPM (LB-FT)	74 lbft. @ 4,000 rpm	74 lbft. @ 4,000 rpm
ENGINE BLOCK	Aluminum	Aluminum
CYLINDER HEADS	Aluminum	Aluminum
REDLINE RPM	6,500 rpm	6,500 rpm
FUEL SYSTEM	MPI	MPI
EMISSIONS	Tier 2 bin 5	Tier 2 bin 5
RECOMMENDED FUEL	Regular Unleaded, 87 octane	Regular Unleaded, 87 octane
TRANSMISSION		

TRANSMISSION		
TYPE	5-speed manual	Continuously Variable Transmission (CVT)
MANUAL RATIOS		
1ST	3.545	-

2ND	1.913	-
3RD	1.310	-
4TH	0.973	-
5TH	0.804	-
REVERSE	3.214	-
FINAL DRIVE	4.055	-
TYPE	-	CVT with INVEC-III
CVT RATIOS	-	Continuously variable between 4.007 - 0.550
REVERSE	-	3.771
FINAL DRIVE	-	3.757
SUSPENSION		
SUSPENSION FRONT	MacPherson Strut	MacPherson Strut
	MacPherson Strut Torsion Beam	MacPherson Strut Torsion Beam
FRONT		
FRONT REAR		
FRONT REAR EXTERIOR DIMENSIONS	Torsion Beam	Torsion Beam
FRONT REAR EXTERIOR DIMENSIONS WHEELBASE (MM/IN.)	Torsion Beam 2,450 mm / 96.5 in.	Torsion Beam 2,450 mm / 96.5 in.
FRONT REAR EXTERIOR DIMENSIONS WHEELBASE (MM/IN.) LENGTH (MM/IN.)	Torsion Beam 2,450 mm / 96.5 in. 3,780 mm / 148.8 in.	Torsion Beam 2,450 mm / 96.5 in. 3,780 mm / 148.8 in.
FRONT REAR EXTERIOR DIMENSIONS WHEELBASE (MM/IN.) LENGTH (MM/IN.) WIDTH (MM/IN.)	Torsion Beam 2,450 mm / 96.5 in. 3,780 mm / 148.8 in. 1,665 mm / 65.6 in.	Torsion Beam 2,450 mm / 96.5 in. 3,780 mm / 148.8 in. 1,665 mm / 65.6 in.
FRONT REAR EXTERIOR DIMENSIONS WHEELBASE (MM/IN.) LENGTH (MM/IN.) WIDTH (MM/IN.) HEIGHT (MM/IN.)	7,450 mm / 96.5 in. 3,780 mm / 148.8 in. 1,665 mm / 65.6 in. 1,500 mm / 59.1 in.	7,450 mm / 96.5 in. 3,780 mm / 148.8 in. 1,665 mm / 65.6 in. 1,500 mm / 59.1 in.

INTERIOR DIMENSIONS		
PASSENGER SEATING CAPACITY	5	5
INTERIOR VOLUME (L/CU. FT.)	2,927 L / 103.3 cu ft	2,927 L / 103.3 cu ft
PASSENGER VOLUME (L/CU. FT.)	2,440 L / 86.1 cu ft	2,440 L / 86.1 cu ft
CARGO VOLUME (L/CU. FT.)	487 L / 17.2 cu ft	487 L / 17.2 cu ft
PASSENGER SPACE		
FRONT HEAD ROOM (MM/IN.)	992 mm / 39.1 in.	992 mm / 39.1 in.
FRONT SHOULDER ROOM (MM/IN.)	1,314 mm / 51.7 in.	1,314 mm / 51.7 in.
FRONT HIP ROOM (MM/IN.)	1,241 mm / 48.9 in.	1,241 mm / 48.9 in.
FRONT LEG ROOM (MM/IN.)	1,058 mm / 41.7 in.	1,058 mm / 41.7 in.
REAR HEAD ROOM (MM/IN.)	947 mm / 37.3 in.	947 mm / 37.3 in.
REAR SHOULDER ROOM (MM/IN.)	1,296 mm / 51.0 in.	1,296 mm / 51.0 in.
REAR HIP ROOM (MM/IN.)	1,245 mm / 49.0 in.	1,245 mm / 49.0 in.
REAR LEG ROOM (MM/IN.)	864 mm / 34.0 in.	864 mm / 34.0 in.
WEIGHTS		
GVWR (KG/LBS) - MT	1,320 kg / 2,910 lbs	-
GVWR (KG/LBS) - CVT	-	1,370 kg / 3,020 lbs
CURB WEIGHT (KG/LBS) - MT	905 kg / 1,996 lbs	-
CURB WEIGHT (KG/LBS) - CVT	-	930 kg / 2,051 lbs
STEERING		
TVDE	Dealers de datas Electri	Dealers of States - Florida

TYPE

Rack-and-pinion, Electric Power Assist

Rack-and-pinion, Electric Power Assist

RATIO	40.65 mm/rev	40.65 mm/rev
TURN CIRCLE - CURB TO CURB (M/FT)	9.2 m / 30.2 ft	9.2 m / 30.2 ft
BRAKES		
BRANES		
FRONT BRAKE TYPE	Ventilated Disc	Ventilated Disc
ANTI-LOCK BRAKES	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD
FUEL CAPACITY		
FUEL TANK CAPACITY (L/GAL.)	35 L / 7.7 gal.	35 L / 7.7 gal.
ESTIMATED FUEL CONSUMPTION		
5MT - CITY (L/100 KM)	5.9 L/100 km	-
5MT - HIGHWAY (L/100 KM)	4.6 L/100 km	-
CVT - CITY (L/100 KM)	-	5.3 L/100 km
CVT - HIGHWAY (L/100 KM)	-	4.4 L/100 km
5MT - COMBINED (L/100 KM)	5.3 L/100 km	-
CVT - COMBINED (L/100 KM)	-	4.9 L/100 km
WHEELS & TIRES		
WHEEL TYPE	Aluminum alloy	Aluminum alloy
WHEEL SIZE	14 in.	14 in.
TIRE SIZE	P165/65R14	P165/65R14
TIRE TYPE	All-season	All-season
SPARE TIRE	T115/70D14	T115/70D14

WARRANTIES		
BASIC	5 years / 100,000 kms	5 years / 100,000 kms
POWERTRAIN	10 years / 160,000 kms	10 years / 160,000 kms
ROADSIDE	5 years / unlimited km	5 years / unlimited km
EXTERIOR COLOURS		
CLOUD WHITE METALLIC	STD	STD
STARLIGHT SILVER	STD	STD
KIWI GREEN METALLIC	STD	STD
INFRARED	STD	STD
SAPPHIRE BLUE	STD	STD
PLASMA PURPLE	STD	STD
MYSTIC BLACK	OPT	OPT
THUNDER GREY PEARL	OPT	OPT
INTERIOR COLOURS	0.770	
BLACK FABRIC	STD	STD