|   | ES AWC | ES AWC<br>TOURING | ES AWC<br>PREMIUM | SE AWC | SE AWC<br>ANNIVERSARY<br>EDITION | GT S-AWC |
|---|--------|-------------------|-------------------|--------|----------------------------------|----------|
| SAFETY  |        |                   |                   |        |                                  |          |
| DUAL FRONT AIRBAGS  | STD    | STD               | STD               | STD    | STD                              | STD      |
| SIDE-IMPACT CURTAIN<br>AIRBAGS (1ST AND 2ND<br>ROW)         | STD    | STD               | STD               | STD    | STD                              | STD      |
| FRONT-SEAT MOUNTED<br>SIDE-IMPACT AIRBAGS                   | STD    | STD               | STD               | STD    | STD                              | STD      |
| DRIVER'S KNEE AIRBAG  | STD    | STD               | STD               | STD    | STD                              | STD      |
| ANTI-LOCK BRAKING<br>SYSTEM (ABS)                           | STD    | STD               | STD               | STD    | STD                              | STD      |
| ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)                   | STD    | STD               | STD               | STD    | STD                              | STD      |
| ACTIVE STABILITY CONTROL (ASC)                              | STD    | STD               | STD               | STD    | STD                              | STD      |
| TRACTION CONTROL LOGIC (TCL)                                | STD    | STD               | STD               | STD    | STD                              | STD      |
| BRAKE OVERRIDE SYSTEM (BOS)                                 | STD    | STD               | STD               | STD    | STD                              | STD      |
| BRAKE ASSIST SYSTEM (BAS)                                   | STD    | STD               | STD               | STD    | STD                              | STD      |
| ANTI-THEFT ENGINE IMMOBILIZER                               | STD    | STD               | STD               | STD    | STD                              | STD      |
| ANTI-THEFT SECURITY<br>ALARM SYSTEM                         | STD    | STD               | STD               | STD    | STD                              | STD      |
| LATCH SYSTEM (LOWER<br>ANCHORS AND TETHERS<br>FOR CHILDREN) | STD    | STD               | STD               | STD    | STD                              | STD      |
| REAR DOOR CHILD SAFETY LOCKS                                | STD    | STD               | STD               | STD    | STD                              | STD      |
| 3-POINT SEATBELTS FOR ALL SEATING POSITIONS                 | STD    | STD               | STD               | STD    | STD                              | STD      |

| HEIGHT ADJUSTABLE FRONT<br>SEATBELTS                                 | STD  | STD | STD | STD | STD  | STD |
|--|------|-----|-----|-----|------|-----|
|  | etto | STD | em  | em  | CTD. | CTD |
| FRONT SEATBELT PRETENSIONERS WITH FORCE LIMITERS                     | STD  | STD | STD | STD | STD  | STD |
| HEIGHT ADJUSTABLE HEAD<br>RESTRAINTS (DRIVER AND<br>FRONT PASSENGER) | STD  | STD | STD | STD | STD  | STD |
| RISE BODY CONSTRUCTION   | STD  | STD | STD | STD | STD  | STD |
| LED DAYTIME RUNNING<br>LAMPS AND REAR CENTRE<br>HIGH MOUNT STOP LAMP | STD  | STD | STD | STD | STD  | STD |
| TIRE PRESSURE<br>MONITORING SYSTEM<br>(TPMS)                         | STD  | STD | STD | STD | STD  | STD |
| HILL START ASSIST  | STD  | STD | STD | STD | STD  | STD |
| LANE DEPARTURE WARNING (LDW)   | -    | -   | -   | -   | -    | STD |
| FORWARD COLLISION<br>MITIGATION (FCM) WITH<br>PEDESTRIAN WARNING     | -    | _   | -   | _   | +    | STD |
| ADAPTIVE CRUISE<br>CONTROL (ACC)                                     | -    | -   | -   | -   | -    | STD |
| BLIND SPOT WARNING<br>(BSW)  | -    | -   | STD | PKG | STD  | STD |
| REAR CROSS TRAFFIC<br>ALERT (RCTA)                                   | -    | -   | STD | PKG | STD  | STD |
| WHEEL LOCKS  | ACC  | ACC | ACC | ACC | ACC  | ACC |
| P5P50PWW05   |      |     |     |     |      |     |
| PERFORMANCE  |      |     |     |     |      |     |
| 2.4 L SOHC MIVEC 4<br>CYLINDER ENGINE (166 HP,<br>TORQUE 162 LBFT.)  | STD  | STD | STD | -   | -    | -   |
| 3.0 L SOHC MIVEC 6<br>CYLINDER ENGINE (224 HP,<br>TORQUE 215 LBFT.)  | -    | -   |     | STD | STD  | STD |

| CONTINUOUSLY VARIABLE TRANSMISSION (CVT-8)   | STD | STD | STD | -   | -   | -   |
|--|-----|-----|-----|-----|-----|-----|
| 6-SPEED SPORTRONIC®<br>AUTOMATIC<br>TRANSMISSION WITH IDLE<br>NEUTRAL LOGIC AND<br>PADDLE SHIFTERS | -   | -   | -   | STD | STD | STD |
| ALL-WHEEL CONTROL<br>(AWC) WITH DRIVE MODE<br>SELECTOR (4WD<br>ECO/AUTO/LOCK)                      | STD | STD | STD | STD | STD | -   |
| SUPER ALL-WHEEL<br>CONTROL (S-AWC) WITH<br>DRIVE MODE SELECTOR<br>(ECO/NORMAL/SNOW/LOCK)           | -   | -   | -   | -   | -   | STD |
| FRONT MACPHERSON<br>STRUT AND REAR MULTI-<br>LINK SUSPENSION                                       | STD | STD | STD | STD | STD | STD |
| FRONT AND REAR<br>STABILIZER BAR   | STD | STD | STD | STD | STD | STD |
| VENTILATED FRONT DISC<br>AND SOLID REAR DISC<br>BRAKES   | STD | STD | STD | STD | STD | STD |
| ELECTRIC PARKING BRAKE   | -   | -   | -   | STD | STD | STD |
| VARIABLE ASSISTED<br>POWER RACK AND PINION<br>STEERING   | STD | STD | STD | STD | STD | STD |
| ACTIVE FRONT<br>DIFFERENTIAL   | -   | -   | -   | -   | -   | STD |
|  |     |     |     |     |     |     |
| EXTERIOR   |     |     |     |     |     |     |
| 16" ALLOY WHEELS   | STD | -   | -   | STD | -   | -   |
| 18" ALLOY WHEELS   | -   | STD | STD | PKG | -   | STD |
| 18" BLACK PAINTED ALLOY<br>WHEELS  | -   | -   | -   | -   | STD | -   |
| P215/70 R16 ALL-SEASON<br>TIRES  | STD | STD | STD | STD | -   | -   |

| P225/55 R18 ALL-SEASON<br>TIRES                                    | -       | STD | STD        | PKG      | STD      | STD |
|--|---------|-----|------------|----------|----------|-----|
| SPACE SAVER TEMPORARY<br>TIRE                                      | STD     | STD | STD        | STD      | STD      | STD |
| FRONT AND REAR BUMPER<br>WITH SILVER SKID PLATE<br>STYLING         | STD     | STD | STD        | STD      | -        | STD |
| FRONT AND REAR BUMPER<br>WITH MATERIAL BLACK<br>SKID PLATE STYLING | -       | -   | -          | -        | STD      | -   |
| CHROME GRILLE  | STD     | STD | STD        | STD      | -        | STD |
| BLACK FRONT GRILLE<br>ACCENTS                                      | -       | -   | -          | -        | STD      | -   |
| BLACK FRONT BUMPER<br>CENTRE                                       | STD     | STD | STD        | STD      | STD      | STD |
| AUTO-OFF HALOGEN<br>HEADLAMPS                                      | STD     | STD | STD        | STD      | -        | -   |
| AUTO-ON/OFF HALOGEN<br>HEADLAMPS                                   | -       | -   | STD        | -        | STD      | -   |
| AUTO-ON/OFF LED<br>HEADLAMPS                                       | -       | -   | -          | -        | -        | STD |
| AUTO HIGHBEAMS   | -       | -   | -          | -        | -        | STD |
| FRONT FOG LAMPS WITH<br>CHROME ACCENT                              | -       | STD | STD        | STD      | STD      | -   |
|  |         |     |            |          |          |     |
| LED FRONT FOG LAMPS<br>WITH CHROME ACCENT                          | -       | -   | -          | -        | -        | STD |
|  | STD     | STD | STD        | -<br>STD | -<br>STD | STD |
| WITH CHROME ACCENT  LED REAR COMBINATION                           | STD STD |     | STD<br>STD |          |          |     |

| HEATED AND POWER-<br>FOLDING/ADJUSTABLE SIDE-<br>VIEW MIRRORS WITH<br>INTEGRATED LED INDICATOR<br>LAMPS | -   | -   | STD | PKG | STD | STD |
|---|-----|-----|-----|-----|-----|-----|
| BODY-COLOUR SIDE-VIEW MIRRORS   | STD | STD | STD | STD | -   | STD |
| BLACK SIDE-VIEW MIRRORS   | -   | -   | -   | -   | STD | -   |
| BODY-COLOUR DOOR<br>HANDLES   | STD | STD | STD | STD | STD | STD |
| CHROME BELTLINE ACCENT  | -   | -   | STD | -   | -   | STD |
| BLACK SIDE DOOR GARNISH   | -   | -   | -   | -   | STD | -   |
| VARIABLE INTERMITTENT<br>WINDSHIELD WIPERS AND<br>WASHER  | STD | STD | STD | STD | STD | STD |
| WINDSHIELD WIPER DE-ICER  | STD | STD | STD | STD | STD | STD |
| FLAT AERO-TYPE WIPERS   | STD | STD | STD | STD | STD | STD |
| BLACK WHEEL ARCH<br>MOULDINGS   | STD | STD | STD | STD | STD | STD |
| SILVER PAINTED ROOF<br>RAILS  | -   | STD | STD | STD | -   | STD |
| BLACK ROOF RAILS  | -   | -   | -   | -   | STD | -   |
| ROOF MOUNT ANTENNA<br>(SHARK FIN TYPE)  | STD | STD | STD | STD | STD | STD |
| POWER GLASS SUNROOF<br>WITH SUNSHADE  | -   | STD | STD | PKG | STD | STD |
| REAR WINDOW DEFROSTER<br>WITH TIMER AND<br>INTERMITTENT WIPER WITH<br>WASHER                            | STD | STD | STD | STD | STD | STD |
| REAR PRIVACY GLASS  | STD | STD | STD | STD | STD | STD |
| "ANNIVERSARY EDITION"<br>BADGE  | -   | -   | -   | -   | STD | -   |

| BUMPSTEP HITCH MOUNT<br>STEP AND BUMPER<br>PROTECTION | ACC | ACC | ACC | ACC | ACC | ACC |
|---|-----|-----|-----|-----|-----|-----|
| LICENSE PLATE FRAME<br>(OUTLANDER)                    | ACC | ACC | ACC | ACC | ACC | ACC |
| BIG TAILGATE SPOILER                                  | ACC | ACC | ACC | ACC | ACC | ACC |
| BODY SIDE MOULDINGS                                   | ACC | ACC | ACC | ACC | ACC | ACC |
| DOOR HANDLE COVERS,<br>CHROME (WITH FAST-KEY)         | ACC | ACC | ACC | ACC | ACC | ACC |
| CHROME SIDE MIRROR<br>COVER                           | ACC | ACC | ACC | ACC | ACC | ACC |
| ENGINE HOOD EMBLEM                                    | ACC | ACC | ACC | ACC | ACC | ACC |
| FRONT AIR DAM, METALLIC<br>GRAY                       | ACC | ACC | ACC | ACC | ACC | ACC |
| HOOD PROTECTOR, DARK<br>TINT                          | ACC | ACC | ACC | ACC | ACC | ACC |
| MUDGUARDS, FRONT                                      | ACC | ACC | ACC | ACC | ACC | ACC |
| MUDGUARDS, REAR                                       | ACC | ACC | ACC | ACC | ACC | ACC |
| REAR AIR DAM, METALLIC<br>GRAY                        | ACC | ACC | ACC | ACC | ACC | ACC |
| REAR BUMPER PROTECTION PLATE                          | ACC | ACC | ACC | ACC | ACC | ACC |
| SIDE AIR DAM, METALLIC<br>GRAY                        | ACC | ACC | ACC | ACC | ACC | ACC |
| SIDE WINDOW DEFLECTORS,<br>DARK TINT                  | ACC | ACC | ACC | ACC | ACC | ACC |
| SUNROOF WIND DEFLECTOR,<br>DARK TINT                  | ACC | ACC | ACC | ACC | ACC | ACC |
| TAILGATE PROTECTOR                                    | ACC | ACC | ACC | ACC | ACC | ACC |
| TOW HITCH   | ACC | ACC | ACC | ACC | ACC | ACC |

| SCUFF PLATES, 4 PC, WITH ILLUMINATION  | ACC | ACC | ACC | ACC | ACC | ACC |
|--|-----|-----|-----|-----|-----|-----|
| PARKING SENSOR FRONT<br>KIT  | ACC | ACC | ACC | ACC | ACC | ACC |
| TRAILER TOW WIRE HARNESS, 4-FLAT CONNECTOR   | ACC | ACC | ACC | ACC | ACC | ACC |
| HITCH-MOUNTED CARRIER,<br>THULE - 9028   | ACC | ACC | ACC | ACC | ACC | ACC |
| HITCH-MOUNTED CARRIER,<br>THULE - 9029   | ACC | ACC | ACC | ACC | ACC | ACC |
| KAYAK CARRIER  | ACC | ACC | ACC | ACC | ACC | ACC |
| ROOF RACK KIT, WITH ROOF RAILS   | ACC | ACC | ACC | ACC | ACC | ACC |
| ROOF RACK KIT, WITH FIXED POINTS   | ACC | ACC | ACC | ACC | ACC | ACC |
| SKI AND SNOWBOARD<br>CARRIER   | ACC | ACC | ACC | ACC | ACC | ACC |
| UPRIGHT BIKE CARRIER   | ACC | ACC | ACC | ACC | ACC | ACC |
| PARKING SENSOR ECU KIT   | ACC | ACC | ACC | ACC | ACC | ACC |
| INTERIOR   |     |     |     |     |     |     |
| HEATED FRONT SEATS   | STD | STD | STD | STD | STD | STD |
| 6-WAY ADJUSTABLE<br>DRIVER'S SEAT (SLIDING,<br>RECLINING AND HEIGHT<br>ADJUSTABLE) | STD | STD | STD | STD | STD | STD |
| POWER DRIVER'S SEAT  | -   | -   | STD | -   | STD | STD |
| 4-WAY ADJUSTABLE FRONT PASSENGER SEAT  | STD | STD | STD | STD | STD | STD |
| 60/40 SPLIT FOLDING 2ND<br>ROW SEAT (SLIDING WITH<br>3RD ROW)                      | STD | STD | STD | STD | STD | STD |

| 3RD ROW FOLD-FLAT SEAT   | -   | STD | STD | STD | STD | STD |
|--|-----|-----|-----|-----|-----|-----|
| FRONT SEATBACK POCKET<br>(PASSENGER SIDE)  | STD | STD | STD | STD | STD | STD |
| FRONT SEATBACK POCKET (DRIVER SIDE)  | -   | STD | STD | -   | STD | STD |
| FABRIC SEATING SURFACES<br>WITH CONTRAST<br>STITCHING                                    | STD | STD | -   | STD | -   | -   |
| LEATHER SEATING<br>SURFACES  | -   | -   | STD | -   | STD | STD |
| DRIVER AND FRONT<br>PASSENGER SUN VISORS<br>WITH ILLUMINATED VANITY<br>MIRRORS           | STD | STD | STD | STD | STD | STD |
| FRONT MAP LAMPS  | STD | STD | STD | STD | STD | STD |
| AUTO-DIMMING REARVIEW MIRROR WITH HOMELINK   | -   | STD | STD | PKG | STD | STD |
| CABIN AND CARGO LAMP   | STD | STD | STD | STD | STD | STD |
| BLACK HEADLINER  | -   | -   | -   | -   | STD | -   |
| RETRACTABLE ASSIST<br>GRIPS (4)  | STD | STD | STD | STD | STD | STD |
| COAT HANGER (AT REAR<br>ASSIST GRIP)   | STD | STD | STD | STD | STD | STD |
| 12V ACCESSORY OUTLET (3)   | STD | STD | STD | STD | STD | STD |
| FLOOR CENTRE CONSOLE<br>WITH LED ILLUMINATION,<br>LEATHERETTE ARMREST<br>AND CUP HOLDERS | STD | STD | STD | STD | STD | STD |
| REAR CENTRE ARMREST<br>WITH CUP HOLDERS  | STD | STD | STD | STD | STD | STD |
| DOOR TRIM POCKET WITH<br>INTEGRATED BOTTLE (500<br>ML) HOLDERS (4)                       | STD | STD | STD | STD | STD | STD |

| CARGO TIE-DOWN UTILITY HOOKS                                 | STD | STD | STD | STD | STD | STD |
|--|-----|-----|-----|-----|-----|-----|
| CARGO UNDER FLOOR<br>STORAGE                                 | STD | STD | STD | -   | -   | -   |
| GLOVE BOX WITH ILLUMINATION                                  | STD | STD | STD | STD | STD | STD |
| CARGO COVER  | STD | STD | STD | STD | STD | STD |
| LEATHER-WRAPPED<br>STEERING WHEEL WITH<br>PIANO BLACK ACCENT | STD | STD | STD | STD | STD | STD |
| LEATHER-WRAPPED GEAR<br>SHIFT KNOB                           | STD | STD | STD | STD | STD | STD |
| SOFT-TOUCH UPPER INSTRUMENTAL PANEL                          | STD | STD | STD | STD | STD | STD |
| GLOSS BLACK SHIFTER<br>PANEL WITH SILVER<br>SURROUND         | STD | STD | STD | STD | STD | STD |
| GLOSS BLACK INSTRUMENT<br>PANEL GARNISH                      | -   | STD | STD | -   | STD | STD |
| CHROME PLATED INTERIOR DOOR HANDLES                          | STD | STD | STD | STD | STD | STD |
| FRONT FOOTWELLS WITH ILLUMINATION                            | STD | STD | STD | STD | STD | STD |
| FLOOR MATS   | STD | STD | STD | STD | STD | STD |
| ACCENT PANELS, DOOR<br>SWITCH, PIANO BLACK                   | ACC | ACC | ACC | ACC | ACC | ACC |
| ACCENT PANELS, INTERIOR, BRUSHED SILVER                      | ACC | ACC | ACC | ACC | ACC | ACC |
| ACCENT PANELS, INTERIOR, PIANO BLACK                         | ACC | ACC | ACC | ACC | ACC | ACC |
| ALL-WEATHER FLOORMATS  | ACC | ACC | ACC | ACC | ACC | ACC |
| ASH CUP  | ACC | ACC | ACC | ACC | ACC | ACC |

| CARGO MAT  | ACC | ACC | ACC | ACC | ACC | ACC |
|--|-----|-----|-----|-----|-----|-----|
| CARGO NET  | ACC | ACC | ACC | ACC | ACC | ACC |
| FLOOR GUARD, ALL-<br>SEASON  | ACC | ACC | ACC | ACC | ACC | ACC |
| LUGGAGE TRAY, FOLDING<br>(CARGO TRAY)  | ACC | ACC | ACC | ACC | ACC | ACC |
| SCUFF PLATES, 6 PC   | ACC | ACC | ACC | ACC | ACC | ACC |
| SHIFT KNOB, ALUMINUM<br>AND LEATHER  | ACC | ACC | ACC | ACC | ACC | ACC |
| TONNEAU COVER, WITH POWER TAILGATE   | ACC | ACC | ACC | ACC | ACC | ACC |
| TONNEAU COVER, WITHOUT POWER TAILGATE  | ACC | ACC | ACC | ACC | ACC | ACC |
| CIGAR LIGHTER  | ACC | ACC | ACC | ACC | ACC | ACC |
| LED FLOOR ILLUMINATION   | ACC | ACC | ACC | ACC | ACC | ACC |
| LED SHIFT GATE ILLUMINATION  | ACC | ACC | ACC | ACC | ACC | ACC |
| CARGO TECH CARGO<br>CONTAINMENT SYSTEM   | ACC | ACC | ACC | ACC | ACC | ACC |
| OUTLANDER CARGO LINER  | ACC | ACC | ACC | ACC | ACC | ACC |
| COMFORT & CONVENIENCE  |     |     |     |     |     |     |
| DUAL-ZONE AUTOMATIC<br>CLIMATE CONTROL   | STD | STD | STD | STD | STD | STD |
| MICRON AIR FILTRATION  | STD | STD | STD | STD | STD | STD |
| REAR HEATER FLOOR<br>DUCTS   | STD | STD | STD | STD | STD | STD |
| BLUETOOTH® 2.0 HANDS-<br>FREE CELLULAR PHONE<br>SYSTEM WITH STREAMING<br>AUDIO AND USB INPUT WITH<br>VOICE CONTROL | STD | STD | STD | STD | STD | STD |

| POWER DOOR LOCKS WITH<br>REMOTE KEYLESS ENTRY   | STD | STD | STD | -   | -   | -   |
|---|-----|-----|-----|-----|-----|-----|
| POWER DOOR LOCKS WITH<br>FAST-KEY ENTRY AND<br>IGNITION SYSTEM                                  | -   | -   | STD | STD | STD | STD |
| POWER WINDOWS WITH<br>AUTO-UP AND DOWN<br>DRIVER'S WINDOW                                       | STD | STD | STD | STD | STD | STD |
| CRUISE CONTROL  | STD | STD | STD | STD | STD | -   |
| ADAPTIVE CRUISE<br>CONTROL (ACC)  | -   | -   | -   | -   | -   | STD |
| 7.0" SMARTPHONE LINK<br>DISPLAY AUDIO WITH<br>ANDROID AUTO™ AND<br>APPLE CARPLAY                | STD | STD | STD | STD | STD | STD |
| 6 SPEAKERS  | STD | STD | STD | STD | STD | -   |
| 710-WATT ROCKFORD<br>FOSGATE® PUNCH® AUDIO<br>SYSTEM WITH 9 SPEAKERS<br>INCLUDING 10" SUBWOOFER | -   | -   | -   | -   | -   | STD |
| SIRIUSXM® SATELLITE<br>RADIO WITH 3 MONTHS<br>COMPLIMENTARY SERVICE                             | STD | STD | STD | STD | STD | STD |
| REARVIEW CAMERA   | STD | STD | STD | STD | STD | -   |
| MULTI VIEW CAMERA<br>SYSTEM (MVCS)  | -   | -   | STD | -   | -   | STD |
| STEERING WHEEL-MOUNTED<br>CRUISE AND AUDIO<br>CONTROLS  | STD | STD | STD | STD | STD | STD |
| HEATED STEERING WHEEL   | -   | -   | STD | -   | STD | STD |
| TILT AND TELESCOPING<br>STEERING WHEEL  | STD | STD | STD | STD | STD | STD |
| HIGH-CONTRAST<br>SPEEDOMETER AND<br>TACHOMETER  | -   | -   | STD | STD | STD | STD |

| MULTI-INFORMATION DISPLAY (TRIP METER, ODOMETER, OUTSIDE TEMPERATURE, AVERAGE FUEL CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, DRIVE MODE INDICATOR, TRANSMISSION POSITION INDICATOR, WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING) | STD | STD | STD | STD | STD | STD |
|--|-----|-----|-----|-----|-----|-----|
| "ECO" MODE INDICATOR   | STD | STD | STD | STD | STD | STD |
| ILLUMINATED IGNITION<br>SWITCH (NOT AVAILABLE<br>WITH FAST-KEY)  | STD | STD | STD | -   | -   | -   |
| SEATBELT REMINDER LAMP   | STD | STD | STD | STD | STD | STD |
| REMOTE FUEL LID RELEASE  | STD | STD | STD | STD | STD | STD |
| POWER LIFTGATE   | -   | -   | -   | -   | -   | STD |
| RAIN-SENSING WINDSHIELD WIPERS   | -   | -   | STD | -   | STD | STD |
| WASHER FLUID LEVEL<br>WARNING LAMP   | STD | STD | STD | STD | STD | STD |
| REAR SEAT ENTERTAINMENT<br>DISPLAY UNIT  | ACC | ACC | ACC | ACC | ACC | ACC |
| REAR SEAT ENTERTAINMENT<br>HEADPHONES  | ACC | ACC | ACC | ACC | ACC | ACC |
| REMOTE ENGINE START KIT  | ACC | ACC | ACC | ACC | ACC | ACC |
| OPTION PACKAGES  |     |     |     |     |     |     |
| TOURING PACKAGE  | -   | -   | -   | OPT | -   | -   |
| EXTERIOR COLOURS   |     |     |     |     |     |     |
| QUARTZ BROWN   | STD | STD | STD | STD | STD | STD |

| COSMIC BLUE  | STD   | STD   | STD   | STD  | STD  | STD  |
|--|---|---|---|--|--|--|
| RALLY RED  | STD   | STD   | STD   | STD  | STD  | STD  |
| TITANIUM GREY  | STD   | STD   | STD   | STD  | STD  | STD  |
| STERLING SILVER  | STD   | STD   | STD   | STD  | STD  | STD  |
| DIAMOND WHITE  | OPT   | OPT   | OPT   | OPT  | OPT  | OPT  |
| LABRADOR BLACK   | OPT   | OPT   | OPT   | OPT  | OPT  | OPT  |
| INTERIOR COLOURS   |   |   |   |  |  |  |
| BLACK FABRIC   | STD   | STD   | -   | STD  | -  | -  |
| BLACK LEATHER  | -   | -   | STD   | -  | STD  | STD  |
|  |   |   |   |  |  |  |
| ENGINE   |   |   |   |  |  |  |
| ENGINE DRIVETRAIN  | AWC   | AWC   | AWC   | AWC  | AWC  | S-AWC  |
|  | AWC  2.4L MIVEC I-4   | AWC  2.4L MIVEC I-4   | AWC  2.4L MIVEC I-4   | AWC  3.0L MIVEC V-6  | AWC  3.0L MIVEC V-6  | S-AWC  3.0L MIVEC V-6  |
| DRIVETRAIN   |   |   | -   |  | -  |  |
| DRIVETRAIN ENGINE TYPE   | 2.4L MIVEC I-4  | 2.4L MIVEC I-4  | 2.4L MIVEC I-4  | 3.0L MIVEC V-6   | 3.0L MIVEC V-6   | 3.0L MIVEC V-6   |
| DRIVETRAIN  ENGINE TYPE  ENGINE CODE                                 | 2.4L MIVEC I-4  4J12  SOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system                   | 2.4L MIVEC I-4  4J12  SOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system                   | 2.4L MIVEC I-4  4J12  SOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system                   | 3.0L MIVEC V-6 6B31  SOHC 24-valve, Mitsubishi Innovative Valve-timing Electronic Control system                   | 3.0L MIVEC V-6 6B31  SOHC 24-valve, Mitsubishi Innovative Valve-timing Electronic Control                          | 3.0L MIVEC V-6 6B31  SOHC 24-valve, Mitsubishi Innovative Valve-timing Electronic Control system                   |
| DRIVETRAIN  ENGINE TYPE  ENGINE CODE  VALVE TRAIN                    | 2.4L MIVEC I-4  4J12  SOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)           | 2.4L MIVEC I-4  4J12  SOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)           | 2.4L MIVEC I-4  4J12  SOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)           | 3.0L MIVEC V-6 6B31  SOHC 24-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)           | 3.0L MIVEC V-6 6B31  SOHC 24-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)           | 3.0L MIVEC V-6 6B31  SOHC 24-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)           |
| DRIVETRAIN  ENGINE TYPE  ENGINE CODE  VALVE TRAIN  DISPLACEMENT (CC) | 2.4L MIVEC I-4  4J12  SOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)  2,360 cc | 2.4L MIVEC I-4  4J12  SOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)  2,360 cc | 2.4L MIVEC I-4  4J12  SOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)  2,360 cc | 3.0L MIVEC V-6 6B31  SOHC 24-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)  2,998 cc | 3.0L MIVEC V-6 6B31  SOHC 24-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)  2,998 cc | 3.0L MIVEC V-6 6B31  SOHC 24-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)  2,998 cc |

| TORQUE @ RPM (LBFT.)  | 162 lbft. @<br>4,200 rpm | 162 lbft. @<br>4,200 rpm | 162 lbft. @<br>4,200 rpm | 215 lbft. @<br>3,750 rpm | 215 lbft. @ 3,750 rpm | 215 lbft. @<br>3,750 rpm |
|---|--------------------------|--------------------------|--------------------------|--------------------------|-----------------------|--------------------------|
| AIR INTAKE SYSTEM   | Conventional             | Conventional             | Conventional             | Conventional             | Conventional          | Conventional             |
| ENGINE BLOCK  | Aluminum                 | Aluminum                 | Aluminum                 | Aluminum                 | Aluminum              | Aluminum                 |
| CYLINDER HEADS  | Aluminum                 | Aluminum                 | Aluminum                 | Aluminum                 | Aluminum              | Aluminum                 |
| REDLINE RPM   | 6,500 rpm                | 6,500 rpm                | 6,500 rpm                | 6,500 rpm                | 6,500 rpm             | 6,500 rpm                |
| FUEL SYSTEM   | MPI                      | MPI                      | MPI                      | MPI                      | MPI                   | MPI                      |
| EMISSIONS   | TIER3 BIN 70             | TIER3 BIN 70             | TIER3 BIN 70             | TIER3 BIN 70             | TIER3 BIN 70          | TIER3 BIN 70             |
| RECOMMENDED FUEL  | Regular<br>Unleaded      | Regular<br>Unleaded      | Regular<br>Unleaded      | Premium<br>Unleaded      | Premium Unleaded      | Premium<br>Unleaded      |
| ENGINE OIL TYPE   | 0W-20                    | 0W-20                    | 0W-20                    | 0W-20                    | 0W-20                 | 0W-20                    |
| ENGINE OIL CAPACITY (L/QT.)   | 4.3 L / 4.5 qt.          | 4.3 L / 4.5 qt.          | 4.3 L / 4.5 qt.          | 4.0 L / 4.2 qt.          | 4.0 L / 4.2 qt.       | 4.0 L / 4.2 qt.          |
|   |                          |                          |                          |                          |                       |                          |
|   |                          |                          |                          |                          |                       |                          |
| TRANSMISSION  |                          |                          |                          |                          |                       |                          |
| TRANSMISSION  | CVT                      | CVT                      | CVT                      | 6AT                      | 6AT                   | 6AT                      |
|   | CVT                      | CVT                      | CVT                      | 6AT<br>-                 | 6AT<br>-              | 6AT<br>-                 |
| TYPE  CONTINUOUSLY VARIABLE   |                          |                          |                          |                          |                       |                          |
| TYPE  CONTINUOUSLY VARIABLE TRANSMISSION (CVT-8)  6-SPEED SPORTRONIC® AUTOMATIC TRANSMISSION WITH IDLE NEUTRAL LOGIC AND  |                          | STD                      | STD                      | -                        | -                     | -                        |
| TYPE  CONTINUOUSLY VARIABLE TRANSMISSION (CVT-8)  6-SPEED SPORTRONIC® AUTOMATIC TRANSMISSION WITH IDLE NEUTRAL LOGIC AND PADDLE SHIFTERS  |                          | STD                      | STD                      | -<br>STD                 | -<br>STD              | -<br>STD                 |
| TYPE  CONTINUOUSLY VARIABLE TRANSMISSION (CVT-8)  6-SPEED SPORTRONIC® AUTOMATIC TRANSMISSION WITH IDLE NEUTRAL LOGIC AND PADDLE SHIFTERS  PADDLE-SHIFTERS                       | STD -                    | STD -                    | STD -                    | -<br>STD                 | -<br>STD              | -<br>STD                 |
| TYPE  CONTINUOUSLY VARIABLE TRANSMISSION (CVT-8)  6-SPEED SPORTRONIC® AUTOMATIC TRANSMISSION WITH IDLE NEUTRAL LOGIC AND PADDLE SHIFTERS  PADDLE-SHIFTERS  CVT AUTOMATIC RATIOS | STD -                    | STD -                    | STD -                    | STD STD                  | - STD -               | STD STD                  |

| 4TH  | -  | -  | -  | 1.161  | 1.161   | 1.161  |
|--|--|--|--|--|---|--|
| 5TH  | -  | -  | -  | 0.855  | 0.855   | 0.855  |
| 6ТН  | -  | -  | -  | 0.685  | 0.685   | 0.685  |
| REVERSE  | 1.960  | 1.960  | 1.960  | 3.457  | 3.457   | 3.457  |
| FINAL DRIVE  | 6.026  | 6.026  | 6.026  | 3.360  | 3.360   | 3.360  |
| STEERING   |  |  |  |  |   |  |
| TYPE   | Electric Power,<br>Rack-and-<br>pinion                                     | Electric Power,<br>Rack-and-<br>pinion                                     | Electric Power,<br>Rack-and-pinion   | Electric Power,<br>Rack-and-pinion   | Electric Power, Rack-<br>and-pinion                                   | Electric Power,<br>Rack-and-<br>pinion                                     |
| TURNING CIRCLE - CURB TO CURB (M/FT.)  | 10.6 m / 34.8 ft.  | 10.6 m / 34.8 ft.   | 10.6 m / 34.8 ft.  |
| TURNS - LOCK TO LOCK   | 3.3  | 3.3  | 3.3  | 3.3  | 3.3   | 3.3  |
|  |  |  |  |  |   |  |
| BRAKES   |  |  |  |  |   |  |
| FRONT BRAKE TYPE   | Ventilated disc  | Ventilated disc  | Ventilated disc  | Ventilated disc  | Ventilated disc   | Ventilated disc  |
|  | Ventilated disc<br>294 mm / 11.6<br>in.                                    | Ventilated disc<br>294 mm / 11.6<br>in.                                    | Ventilated disc<br>294 mm / 11.6 in.                                       | Ventilated disc<br>294 mm / 11.6<br>in.                                    | Ventilated disc<br>294 mm / 11.6 in.                                  | Ventilated disc<br>294 mm / 11.6<br>in.                                    |
| FRONT BRAKE TYPE FRONT BRAKE DIAMETER  | 294 mm / 11.6  | 294 mm / 11.6  |  | 294 mm / 11.6  |   | 294 mm / 11.6  |
| FRONT BRAKE TYPE  FRONT BRAKE DIAMETER (MM/IN.)  | 294 mm / 11.6<br>in.   | 294 mm / 11.6<br>in.   | 294 mm / 11.6 in.  | 294 mm / 11.6<br>in.   | 294 mm / 11.6 in.   | 294 mm / 11.6<br>in.   |
| FRONT BRAKE TYPE  FRONT BRAKE DIAMETER (MM/IN.)  REAR BRAKE TYPE  REAR BRAKE DIAMETER                                    | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9                               | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9                               | 294 mm / 11.6 in. Solid disc   | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9                               | 294 mm / 11.6 in. Solid disc  | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9                               |
| FRONT BRAKE TYPE  FRONT BRAKE DIAMETER (MM/IN.)  REAR BRAKE TYPE  REAR BRAKE DIAMETER (MM/IN.)  ANTI-LOCK BRAKING        | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9 in.  4 sensor, 4 channel with | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9 in.  4 sensor, 4 channel with | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9 in.  4 sensor, 4 channel with | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9 in.  4 sensor, 4 channel with | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9 in.  4 sensor, 4 channel | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9 in.  4 sensor, 4 channel with |
| FRONT BRAKE TYPE  FRONT BRAKE DIAMETER (MM/IN.)  REAR BRAKE TYPE  REAR BRAKE DIAMETER (MM/IN.)  ANTI-LOCK BRAKING SYSTEM | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9 in.  4 sensor, 4 channel with | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9 in.  4 sensor, 4 channel with | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9 in.  4 sensor, 4 channel with | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9 in.  4 sensor, 4 channel with | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9 in.  4 sensor, 4 channel | 294 mm / 11.6 in.  Solid disc  302 mm / 11.9 in.  4 sensor, 4 channel with |

| EXTERIOR DIMENSIONS  |   |   |   |   |   |   |
|--|---|---|---|---|---|---|
| WHEELBASE (MM/IN.)   | 2,670 mm /<br>105.1 in.   | 2,670 mm /<br>105.1 in.   | 2,670 mm /<br>105.1 in.   | 2,670 mm /<br>105.1 in.   | 2,670 mm / 105.1 in.  | 2,670 mm /<br>105.1 in.   |
| LENGTH (MM/IN.)  | 4,695 mm /<br>184.8 in.   | 4,695 mm /<br>184.8 in.   | 4,695 mm /<br>184.8 in.   | 4,695 mm /<br>184.8 in.   | 4,695 mm / 184.8 in.  | 4,695 mm /<br>184.8 in.   |
| WIDTH (MM/IN.)   | 1,810 mm /<br>71.3 in.  | 1,810 mm / 71.3<br>in.  | 1,810 mm / 71.3<br>in.  | 1,810 mm / 71.3<br>in.  | 1,810 mm / 71.3 in.   | 1,810 mm / 71.3<br>in.  |
| HEIGHT (MM/IN.)  | 1,710 mm /<br>67.3 in.  | 1,710 mm / 67.3<br>in.  | 1,710 mm / 67.3<br>in.  | 1,710 mm / 67.3<br>in.  | 1,710 mm / 67.3 in.   | 1,710 mm / 67.3<br>in.  |
| TRACK, FRONT (MM/IN.)  | 1,540 mm /<br>60.6 in.  | 1,540 mm / 60.6<br>in.  | 1,540 mm / 60.6<br>in.  | 1,540 mm / 60.6<br>in.  | 1,540 mm / 60.6 in.   | 1,540 mm / 60.6<br>in.  |
| TRACK, REAR (MM/IN.)   | 1,540 mm /<br>60.6 in.  | 1,540 mm / 60.6<br>in.  | 1,540 mm / 60.6<br>in.  | 1,540 mm / 60.6<br>in.  | 1,540 mm / 60.6 in.   | 1,540 mm / 60.6<br>in.  |
| MINIMUM GROUND<br>CLEARANCE (MM/IN.)   | 215 mm / 8.5 in.  | 215 mm / 8.5 in.  | 215 mm / 8.5 in.  | 215 mm / 8.5 in.  | 215 mm / 8.5 in.  | 215 mm / 8.5 in.  |
|  |   |   |   |   |   |   |
| INTERIOR DIMENSIONS  |   |   |   |   |   |   |
| INTERIOR DIMENSIONS  PASSENGER SEATING CAPACITY  | 5   | 7   | 7   | 7   | 7   | 7   |
| PASSENGER SEATING  | 5<br>3,630 L / 128.2<br>cu. ft.   | 7<br>3,630 L / 128.2<br>cu. ft.   | 7<br>3,630 L / 128.2<br>cu. ft.   | 7<br>3,630 L / 128.2<br>cu. ft.   | 7<br>3,630 L / 128.2 cu. ft.  | 7<br>3,630 L / 128.2<br>cu. ft.   |
| PASSENGER SEATING CAPACITY  PASSENGER VOLUME (L/CU.  | 3,630 L / 128.2   | 3,630 L / 128.2   | 3,630 L / 128.2   | 3,630 L / 128.2   |   | 3,630 L / 128.2   |
| PASSENGER SEATING CAPACITY  PASSENGER VOLUME (L/CU. FT.)  CARGO AREA (BEHIND   | 3,630 L / 128.2<br>cu. ft.<br>1,792 L / 63.3                                | 3,630 L / 128.2<br>cu. ft.<br>1,792 L / 63.3  | 3,630 L / 128.2 cu. ft.   | 3,630 L / 128.2<br>cu. ft.<br>1,792 L / 63.3  | 3,630 L / 128.2 cu. ft.   | 3,630 L / 128.2<br>cu. ft.<br>1,792 L / 63.3  |
| PASSENGER SEATING CAPACITY  PASSENGER VOLUME (L/CU. FT.)  CARGO AREA (BEHIND FRONT SEAT) (L/CU. FT.)  CARGO AREA (BEHIND REAR  | 3,630 L / 128.2<br>cu. ft.<br>1,792 L / 63.3<br>cu. ft.<br>968 L / 34.2 cu. | 3,630 L / 128.2 cu. ft.  1,792 L / 63.3 cu. ft.  968 L / 34.2 cu.                       | 3,630 L / 128.2 cu. ft.  1,792 L / 63.3 cu. ft.  968 L / 34.2 cu.                       | 3,630 L / 128.2 cu. ft.  1,792 L / 63.3 cu. ft.  968 L / 34.2 cu.                       | 3,630 L / 128.2 cu. ft.<br>1,792 L / 63.3 cu. ft.                         | 3,630 L / 128.2<br>cu. ft.<br>1,792 L / 63.3<br>cu. ft.<br>968 L / 34.2 cu.             |
| PASSENGER SEATING CAPACITY  PASSENGER VOLUME (L/CU. FT.)  CARGO AREA (BEHIND FRONT SEAT) (L/CU. FT.)  CARGO AREA (BEHIND REAR SEAT) (L/CU. FT.)  CARGO AREA (BEHIND REAR | 3,630 L / 128.2 cu. ft.  1,792 L / 63.3 cu. ft.  968 L / 34.2 cu. ft.       | 3,630 L / 128.2 cu. ft.  1,792 L / 63.3 cu. ft.  968 L / 34.2 cu. ft.  292 L / 10.3 cu. | 3,630 L / 128.2 cu. ft.  1,792 L / 63.3 cu. ft.  968 L / 34.2 cu. ft.  292 L / 10.3 cu. | 3,630 L / 128.2 cu. ft.  1,792 L / 63.3 cu. ft.  968 L / 34.2 cu. ft.  292 L / 10.3 cu. | 3,630 L / 128.2 cu. ft.<br>1,792 L / 63.3 cu. ft.<br>968 L / 34.2 cu. ft. | 3,630 L / 128.2 cu. ft.  1,792 L / 63.3 cu. ft.  968 L / 34.2 cu. ft.  292 L / 10.3 cu. |

| FRONT HEAD ROOM<br>(WITHOUT SUNROOF)<br>(MM/IN.) | 1, 031 mm /<br>40.6 in. | 1, 031 mm /<br>40.6 in. | 1, 031 mm / 40.6<br>in. | 1, 031 mm / 40.6<br>in. | 1, 031 mm / 40.6 in. | -                      |
|--|-------------------------|-------------------------|-------------------------|-------------------------|----------------------|------------------------|
| FRONT SHOULDER ROOM (MM/IN.)                     | 1,437 mm /<br>56.6 in.  | 1,437 mm / 56.6<br>in.  | 1,437 mm / 56.6<br>in.  | 1,437 mm / 56.6<br>in.  | 1,437 mm / 56.6 in.  | 1,437 mm / 56.6<br>in. |
| FRONT HIP ROOM (MM/IN.)                          | 1,336 mm /<br>52.6 in.  | 1,336 mm / 52.6<br>in.  | 1,336 mm / 52.6<br>in.  | 1,336 mm / 52.6<br>in.  | 1,336 mm / 52.6 in.  | 1,336 mm / 52.6<br>in. |
| FRONT LEG ROOM (MM/IN.)                          | 1,039 mm /<br>40.9 in.  | 1,039 mm / 40.9<br>in.  | 1,039 mm / 40.9<br>in.  | 1,039 mm / 40.9<br>in.  | 1,039 mm / 40.9 in.  | 1,039 mm / 40.9<br>in. |
| REAR HEAD ROOM WITH<br>SUNROOF (MM/IN.)          | 968 mm / 38.1<br>in.    | 968 mm / 38.1<br>in.    | 968 mm / 38.1 in.       | 944 mm / 37.2<br>in.    | 944 mm / 37.2 in.    | 944 mm / 37.2<br>in.   |
| REAR HEAD ROOM<br>(WITHOUT SUNROOF)<br>(MM/IN.)  | 975 mm / 38.4<br>in.    | 975 mm / 38.4<br>in.    | 975 mm / 38.4 in.       | 975 mm / 38.4<br>in.    | 975 mm / 38.4 in.    | -                      |
| REAR SHOULDER ROOM (MM/IN.)                      | 1,425 mm /<br>56.1 in.  | 1,425 mm / 56.1<br>in.  | 1,425 mm / 56.1<br>in.  | 1,425 mm / 56.1<br>in.  | 1,425 mm / 56.1 in.  | 1,425 mm / 56.1<br>in. |
| REAR HIP ROOM (MM/IN.)                           | 1,318 mm /<br>51.9 in.  | 1,318 mm / 51.9<br>in.  | 1,318 mm / 51.9<br>in.  | 1,313 mm / 51.7<br>in.  | 1,313 mm / 51.7 in.  | 1,313 mm / 51.7<br>in. |
| REAR LEG ROOM (MM/IN.)                           | 982 mm / 38.7<br>in.    | 982 mm / 38.7<br>in.    | 982 mm / 38.7 in.       | 947 mm / 37.3<br>in.    | 947 mm / 37.3 in.    | 947 mm / 37.3<br>in.   |
| 3RD ROW HEAD ROOM (MM/IN.)                       | -                       | 908 mm / 35.7<br>in.    | 908 mm / 35.7 in.       | 908 mm / 35.7<br>in.    | 908 mm / 35.7 in.    | 908 mm / 35.7<br>in.   |
| 3RD ROW SHOULDER ROOM (MM/IN.)                   | -                       | 1,306 mm / 51.4<br>in.  | 1,306 mm / 51.4<br>in.  | 1,306 mm / 51.4<br>in.  | 1,306 mm / 51.4 in.  | 1,306 mm / 51.4<br>in. |
| 3RD ROW HIP ROOM<br>(MM/IN.)                     | -                       | 1,001 mm / 39.4<br>in.  | 1,001 mm / 39.4<br>in.  | 1,001 mm / 39.4<br>in.  | 1,001 mm / 39.4 in.  | 1,001 mm / 39.4<br>in. |
| 3RD ROW LEG ROOM<br>(MM/IN.)                     | -                       | 715 mm / 28.2<br>in.    | 715 mm / 28.2 in.       | 715 mm / 28.2<br>in.    | 715 mm / 28.2 in.    | 715 mm / 28.2<br>in.   |
| WEIGHTS  |                         |                         |                         |                         |                      |                        |
| GVWP (KG/LBS )                                   | 2 205 kg /              | 2 205 kg / 4 861        | 2 205 kg / 4 861        | 2 270 kg / 5 005        | 2 270 kg / 5 005 lbs | 2 270 kg /             |

| WEIGHTS               |                          |                          |                          |                          |                       |                          |
|-----------------------|--------------------------|--------------------------|--------------------------|--------------------------|-----------------------|--------------------------|
| GVWR (KG/LBS.)        | 2,205 kg /<br>4,861 lbs. | 2,205 kg / 4,861<br>lbs. | 2,205 kg / 4,861<br>lbs. | 2,270 kg / 5,005<br>lbs. | 2,270 kg / 5,005 lbs. | 2,270 kg /<br>5,005 lbs. |
| CURB WEIGHT (KG/LBS.) | 1,545 kg /<br>3,406 lbs. | 1,575 kg / 3,472<br>lbs. | 1,575 kg / 3,472<br>lbs. | 1,610 kg / 3,549<br>lbs. | 1,610 kg / 3,549 lbs. | 1,645kg / 3,626<br>lbs.  |

| WEIGHT DISTRIBUTION (% FRONT/REAR) @ CURB WEIGHT | 56.6 / 43.4             | 55.6 / 44.4                         | 55.6 / 44.4                | 57.1 / 42.9   | 57.1 / 42.9   | 57.4 / 42.6                         |
|--|-------------------------|-------------------------------------|----------------------------|---|---|-------------------------------------|
| TOWING CAPACITY (KG / LBS)                       | 680 kg / 1,500<br>lbs.  | 680 kg / 1,500<br>lbs.              | 680 kg / 1,500<br>lbs.     | 1,588 kg / 3,500<br>lbs.  | 1,588 kg / 3,500 lbs.   | 1,588 kg /<br>3,500 lbs.            |
| MAXIMUM TRAILER<br>TONGUE LOAD (KG / LBS)        | 68 kg / 150 lbs.        | 68 kg / 150 lbs.                    | 68 kg / 150 lbs.           | 159 kg / 350 lbs.   | 159 kg / 350 lbs.   | 159 kg / 350<br>lbs.                |
| FUEL CAPACITY                                    |                         |                                     |                            |   |   |                                     |
| AWC/S-AWC FUEL TANK<br>CAPACITY (L/GAL.)         | 60 L / 15.8 gal.        | 60 L / 15.8 gal.                    | 60 L / 15.8 gal.           | 60 L / 15.8 gal.  | 60 L / 15.8 gal.  | 60 L / 15.8 gal.                    |
| ESTIMATED FUEL CONSUMPTI                         | ON                      |                                     |                            |   |   |                                     |
| CITY (L/100KM)                                   | 9.9                     | 9.9                                 | 9.9                        | 12.0  | 12.0  | 12.0                                |
| HIGHWAY (L/100KM)                                | 8.1                     | 8.1                                 | 8.1                        | 8.8   | 8.8   | 8.8                                 |
| COMBINED (L/100KM)                               | 9.1                     | 9.1                                 | 9.1                        | 10.6  | 10.6  | 10.6                                |
| WHEELS & TIRES                                   |                         |                                     |                            |   |   |                                     |
| WHEEL TYPE                                       | 16x6.5J                 | 18x7J                               | 18x7J Aluminum             | 40.051  | 16x6.5J Aluminum  | 18x7J                               |
|  | Aluminum alloy          | Aluminum alloy                      | alloy                      | 16x6.5J<br>Aluminum alloy<br>(Optional: 18x7J<br>Aluminum alloy)  | alloy (Optional: 18x7J<br>Aluminum alloy)   | Aluminum alloy                      |
| WHEEL SIZE (OPTIONAL)                            | Aluminum alloy  16 inch |                                     |                            | Aluminum alloy<br>(Optional: 18x7J  | alloy (Optional: 18x7J  |                                     |
| WHEEL SIZE (OPTIONAL)  TIRE SIZE (OPTIONAL)      | ,                       | Aluminum alloy                      | alloy                      | Aluminum alloy<br>(Optional: 18x7J<br>Aluminum alloy)   | alloy (Optional: 18x7J<br>Aluminum alloy)   | Aluminum alloy                      |
|  | 16 inch                 | Aluminum alloy  18 inch             | alloy 18 inch              | Aluminum alloy<br>(Optional: 18x7J<br>Aluminum alloy)<br>16 inch (18<br>inch)                               | alloy (Optional: 18x7J<br>Aluminum alloy)  16 inch (18 inch)  P215/70R16              | Aluminum alloy  18 inch             |
| TIRE SIZE (OPTIONAL)                             | 16 inch<br>P215/70R16   | Aluminum alloy  18 inch  P225/55R18 | alloy  18 inch  P225/55R18 | Aluminum alloy<br>(Optional: 18x7J<br>Aluminum alloy)<br>16 inch (18<br>inch)<br>P215/70R16<br>(P225/55R18) | alloy (Optional: 18x7J<br>Aluminum alloy)  16 inch (18 inch)  P215/70R16 (P225/55R18) | Aluminum alloy  18 inch  P225/55R18 |

| POWERTRAIN | 10 years or                | 10 years or                | 10 years or                | 10 years or                | 10 years or 160,000     | 10 years or                |
|------------|----------------------------|----------------------------|----------------------------|----------------------------|-------------------------|----------------------------|
|            | 160,000 kms                | 160,000 kms                | 160,000 kms                | 160,000 kms                | kms                     | 160,000 kms                |
| ROADSIDE   | 5 years /<br>unlimited kms | 5 years / unlimited kms | 5 years /<br>unlimited kms |