



MITSUBISHI MOTOR SALES OF CANADA, INC.

2021 OUTLANDER PHEV

FEATURES

BOLD INDICATES CHANGES VS 2020MY

SAFETY	SE	LE	SEL	GT
SAFETY				
MITSUBISHI STANDARD SAFETY FEATURES:				
<ul style="list-style-type: none"> DUAL FRONT AIRBAGS SIDE-IMPACT CURTAIN AIRBAGS (FRONT & REAR) FRONT SEAT-MOUNTED SIDE-IMPACT AIRBAGS DRIVER'S KNEE AIRBAG ANTI-LOCK BRAKING SYSTEM (ABS) ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD) ACTIVE STABILITY CONTROL (ASC) TRACTION CONTROL LOGIC (TCL) BRAKE OVERRIDE SYSTEM (BOS) BRAKE ASSIST SYSTEM (BAS) ANTI-THEFT ENGINE IMMOBILIZER ANTI-THEFT SECURITY ALARM SYSTEM LATCH SYSTEM (LOWER ANCHORS & TETHERS FOR CHILD RESTRAINT SEATS) REAR DOOR CHILD SAFETY LOCKS 3-POINT SEATBELTS FOR ALL SEATING POSITIONS HEIGHT ADJUSTABLE FRONT SEATBELTS FRONT SEATBELT PRETENSIONERS WITH FORCE LIMITERS HEIGHT ADJUSTABLE FRONT HEAD RESTRAINTS RISE BODY CONSTRUCTION REAR CENTRE HIGH MOUNT STOP LAMP LED DAYTIME RUNNING LAMPS TIRE PRESSURE MONITORING SYSTEM (TPMS) HILL START ASSIST ACOUSTIC VEHICLE ALERTING SYSTEM (AVAS) HIGH VOLTAGE CUT-OFF SYSTEM 			S	
LANE DEPARTURE WARNING (LDW)	-	-	-	S
FORWARD COLLISION MITIGATION (FCM)	-	-	-	S
ADAPTIVE CRUISE CONTROL (ACC)	-	-	-	S
BLIND SPOT WARNING (BSW)	S	S	S	S
REAR CROSS TRAFFIC ALERT (RCTA)	S	S	S	S
PERFORMANCE	SE	LE	SEL	GT
2.4 L DOHC MIVEC 4 CYLINDER ENGINE	S	S	S	S
1-SPEED TRANSMISSION	S	S	S	S
SUPER ALL-WHEEL CONTROL (S-AWC) WITH DRIVE MODE SELECTOR (NORMAL/LOCK/ SNOW/SPORT)	S	S	S	S
PHEV TWIN MOTOR SYSTEM	S	S	S	S
PADDLE SHIFTERS (REGENERATIVE BRAKING)	S	S	S	S
FRONT MACPHERSON STRUT & REAR MULTI-LINK SUSPENSION	S	S	S	S
FRONT & REAR STABILIZER BAR	S	S	S	S
VENTILATED FRONT DISC & SOLID REAR DISC BRAKES	S	S	S	S
VARIABLE ASSISTED POWER RACK & PINION STEERING	S	S	S	S
ELECTRIC PARKING BRAKE	S	S	S	S

FEBRUARY 22, 2021

TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.

MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES.

© 2021 MITSUBISHI MOTOR SALES OF CANADA, INC.



MITSUBISHI MOTOR SALES OF CANADA, INC.

2021 OUTLANDER PHEV

FEATURES

PERFORMANCE (CONTINUED)	SE	LE	SEL	GT
BATTERY WARMING SYSTEM	S	S	S	S
DC QUICK CHARGE PORT	S	S	S	S
ON-BOARD CHARGING SYSTEM WITH 2-MODE 120V 8A/12A CABLE	S	S	S	S
120V/240V CHARGING CONNECTOR	S	S	S	S
CHARGER LID LOCKING SYSTEM	S	S	S	S
EXTERIOR	SE	LE	SEL	GT
18" ALLOY WHEELS	S	S	S	S
P225/55 R18 ALL-SEASON TIRES	S	S	S	S
TIRE REPAIR KIT	S	S	S	S
FRONT & REAR SILVER SKID PLATE STYLING	S	S	S	S
SILVER GRILLE	S	S	S	S
AUTO-ON & OFF HALOGEN HEADLAMPS	S	S	-	-
AUTO-ON & OFF LED HEADLAMPS	-	-	S	S
AUTO LED HIGH BEAMS	-	-	-	S
FRONT FOG LAMPS	S	S	-	-
LED FRONT FOG LAMPS	-	-	S	S
HEATED & POWER-FOLDING SIDE-VIEW MIRRORS WITH INTEGRATED TURN SIGNAL LAMP	S	S	S	S
WINDSHIELD WIPER DE-ICER	S	S	S	S
BODY-COLOUR SIDE-VIEW MIRRORS & DOOR HANDLES	S	S	S	S
CHROME BELTLINE ACCENT	S	S	S	S
VARIABLE INTERMITTENT WINDSHIELD WIPERS & WASHER	S	S	S	S
ROOF MOUNT ANTENNA (SHARK FIN TYPE)	S	S	S	S
SILVER PAINTED ROOF RAILS	S	S	S	S
POWER GLASS SUNROOF WITH SUNSHADE	-	S	S	S
REAR WINDOW DEFROSTER WITH TIMER, INTERMITTENT WIPER & WASHER	S	S	S	S
REAR PRIVACY GLASS	S	S	S	S
LED REAR COMBINATION LAMPS	S	S	S	S
REAR SPOILER	S	S	S	S
INTERIOR	SE	LE	SEL	GT
HEATED FRONT SEATS	S	S	S	S
6-WAY POWER DRIVER'S SEAT (SLIDING, RECLINING & HEIGHT ADJUSTABLE)	S	S	S	S
4-WAY POWER FRONT PASSENGER SEAT	S	S	S	S
POWER DRIVER LUMBAR ADJUSTMENT	S	S	S	S
60/40 SPLIT FOLDING REAR SEAT	S	S	S	S
FAUX SUEDE-APPOINTED SEATS WITH CONTRAST STITCHING	S	S	-	-
LEATHER-APPOINTED SEATS WITH CONTRAST STITCHING	-	-	S	-
QUILTED LEATHER-APPOINTED SEATS	-	-	-	S
BLACK HEADLINER	-	-	S	S
FRONT SEATBACK POCKET (PASSENGER SIDE)	S	S	-	-
FRONT SEATBACK POCKETS (DRIVER AND PASSENGER)	-	-	S	S
DRIVER & FRONT PASSENGER SUN VISORS WITH ILLUMINATED VANITY MIRRORS	S	S	S	S
AUTO-DIMMING REARVIEW MIRROR WITH HOMELINK	-	S	S	S
FRONT MAP LAMPS	S	S	S	S

FEBRUARY 22, 2021

TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.

MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES.

© 2021 MITSUBISHI MOTOR SALES OF CANADA, INC.



MITSUBISHI MOTOR SALES OF CANADA, INC.

2021 OUTLANDER PHEV

FEATURES

INTERIOR (CONTINUED)	SE	LE	SEL	GT
CABIN & CARGO LAMP	S	S	S	S
RETRACTABLE ASSIST GRIPS (4)	S	S	S	S
12V ACCESSORY OUTLET (2)	S	S	S	S
1500-WATT POWER SUPPLY	S	S	S	S
USB INPUT (X2)	S	S	S	S
FLOOR CENTRE CONSOLE WITH LEATHERETTE ARMREST & CUP HOLDERS WITH LID	S	S	S	S
REAR CENTRE ARMREST WITH CUP HOLDERS	S	S	S	S
DOOR TRIM POCKET WITH INTEGRATED BOTTLE HOLDERS (4)	S	S	S	S
CARGO TIE-DOWN UTILITY HOOKS (X4)	S	S	S	S
CARGO COVER	S	S	S	S
GLOVE BOX WITH ILLUMINATION	S	S	S	S
LEATHER-WRAPPED STEERING WHEEL	S	S	S	S
GLOSS BLACK SHIFTER PANEL WITH SILVER SURROUND	S	S	S	S
SOFT-TOUCH INSTRUMENT PANEL	S	S	S	S
GLOSS BLACK AUDIO TRIM PANEL	S	S	S	S
PRINTED INTERIOR ACCENT PANELS WITH SILVER PIN STRIPE	S	S	S	S
CHROME PLATED INTERIOR DOOR HANDLES	S	S	S	S
FRONT FOOTWELLS WITH ILLUMINATION	S	S	S	S
DOOR TRIM INSERTS WITH STITCHING & SOFT PAD TRIM	S	S	S	S
FLOOR MATS	S	S	S	S
COMFORT & CONVENIENCE	SE	LE	SEL	GT
DUAL-ZONE AUTOMATIC CLIMATE CONTROL	S	S	S	S
MICRON AIR FILTRATION	S	S	S	S
REAR HEATER FLOOR DUCTS	S	S	S	S
REAR HEATER DUCTS (BACK OF FRONT CENTRE CONSOLE)	S	S	S	S
BLUETOOTH® HANDS-FREE CELLULAR PHONE INTERFACE	S	S	S	S
FAST-KEY KEYLESS ENTRY WITH PUSH-BUTTON START & PANIC ALARM	S	S	S	S
POWER WINDOWS WITH AUTO-UP & DOWN FUNCTION (ALL FOR DRIVER)	S	S	S	S
ILLUMINATED WINDOW SWITCHES	S	S	S	S
CRUISE CONTROL WITH STEERING WHEEL-MOUNTED CONTROLS	S	S	S	-
ADAPTIVE CRUISE CONTROL (ACC)	-	-	-	S
8" SMARTPHONE LINK DISPLAY AUDIO WITH ANDROID AUTO™ & APPLE CARPLAY	S	S	S	-
8" MITSUBISHI POWER SOUND SMARTPHONE DISPLAY AUDIO WITH ANDROID AUTO™ & APPLE CARPLAY	-	-	-	S
6 SPEAKERS	S	S	S	-
8 SPEAKERS	-	-	-	S
SIRIUSXM® SATELLITE RADIO WITH 3 MONTHS COMPLIMENTARY SERVICE	S	S	S	S
REARVIEW CAMERA	S	S	S	-
MULTI VIEW CAMERA SYSTEM (MVCS)	-	-	-	S
STEERING WHEEL-MOUNTED AUDIO CONTROLS	S	S	S	S
HEATED STEERING WHEEL	-	S	S	S
TILT & TELESCOPING STEERING WHEEL	S	S	S	S
HIGH-CONTRAST SPEEDOMETER & TACHOMETER	S	S	S	S

FEBRUARY 22, 2021

TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES.

© 2021 MITSUBISHI MOTOR SALES OF CANADA, INC.



MITSUBISHI MOTOR SALES OF CANADA, INC.

2021 OUTLANDER PHEV

FEATURES

COMFORT & CONVENIENCE (CONTINUED)	SE	LE	SEL	GT
COLOUR MULTI-INFORMATION DISPLAY (TRIP METER, ODOMETER, OUTSIDE TEMPERATURE, AVERAGE FUEL CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, DRIVE MODE INDICATOR, TRANSMISSION POSITION INDICATOR, WATER TEMPERATURE WARNING LAMP, LOW FUEL WARNING, LOW WINDSHIELD WASHER FLUID)	S	S	S	S
SEATBELT REMINDER LAMP	S	S	S	S
REMOTE FUEL LID RELEASE	S	S	S	S
POWER LIFTGATE	-	S	S	S
RAIN-SENSING WINDSHIELD WIPERS	S	S	S	S
MITSUBISHI REMOTE CONTROL (REMOTE PRE-HEATING & COOLING, TIMER CHARGE, BATTERY LEVEL INDICATOR VIA SMARTPHONE)	S	S	S	S

S = STANDARD O = FACTORY OPTIONAL P = FACTORY PACKAGE - = NOT AVAILABLE A = DEALER INSTALLED OPTION



MITSUBISHI MOTOR SALES OF CANADA, INC.

2021 OUTLANDER PHEV

TECHNICAL AND MECHANICAL SPECIFICATIONS

ENGINE		SE/LE/SEL/GT
DRIVE TRAIN		S-AWC
ENGINE TYPE		2.4 L MIVEC I-4
ENGINE CODE		4B12
VALVE TRAIN		DOHC 16-VALVE
		MITSUBISHI INNOVATIVE VALVE-TIMING ELECTRONIC CONTROL SYSTEM (MIVEC)
DISPLACEMENT (CC)		2360
BORE X STROKE (MM)		88.0 X 97.0
COMPRESSION RATIO		12.0:1
HORSEPOWER @ RPM		126 @ 4500
TORQUE @ RPM (LB.-FT.)		147 @ 4500
ENGINE BLOCK		ALUMINUM
CYLINDER HEADS		ALUMINUM
REDLINE RPM		-
FUEL SYSTEM		MPI
EMISSIONS		TIER 3 BIN 30
RECOMMENDED FUEL		REGULAR UNLEADED
ENGINE OIL TYPE		0W-20
ELECTRIC MOTORS		SE/LE/SEL/GT
MOTOR TYPE		TWIN - AC SYNCHRONOUS PERMANENT MAGNETIC MOTOR
MOTOR POWER OUTPUT (HP) - FRONT		80
MOTOR TORQUE OUTPUT (LB.-FT.) - FRONT		101
MOTOR POWER OUTPUT (HP) - REAR		94
MOTOR TORQUE OUTPUT (LB.-FT.) - REAR		144
TRANSAXLE		SE/LE/SEL/GT
FRONT		SINGLE SPEED, DRIVE MODE SWITCHABLE REDUCTION GEAR BOX
REAR		SINGLE SPEED, FIXED REDUCTION GEAR BOX
SUSPENSION		SE/LE/SEL/GT
FRONT		MACPHERSON STRUT
REAR		MULTI-LINK
FRONT STABILIZER BAR		STANDARD
REAR STABILIZER BAR		STANDARD
MAIN DRIVE BATTERY		SE/LE/SEL/GT
MAIN DRIVE BATTERY CHEMISTRY		13.8 KWH LITHIUM-ION (LI-ION)
VOLTAGE (V)		300-VOLT
COOLING SYSTEM (FORCED AIR VENTILATION)		STANDARD
CHARGING TIME: 120V / 8A		14.5 HOURS
CHARGING TIME: 120V /12A		9.0 HOURS
CHARGING TIME: 240V /16A EVSE		4.0 HOURS
CHARGING TIME: CHADEMO QUICK CHARGER (UP TO)		25 MINUTES
BATTERY HEATER FOR COLD WEATHER		STANDARD
EV BATTERY RANGE		39 KM
KW-HRS. PER 100 KILOMETRES		28.2

FEBRUARY 22, 2021

TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.

MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES.

© 2021 MITSUBISHI MOTOR SALES OF CANADA, INC.



MITSUBISHI MOTOR SALES OF CANADA, INC.

2021 OUTLANDER PHEV

TECHNICAL AND MECHANICAL SPECIFICATIONS

MAIN DRIVE BATTERY (CONTINUED)		SE/LE/SEL/GT
TOTAL RANGE		509 KM
EXTERIOR DIMENSIONS		SE/LE/SEL/GT
WHEELBASE (MM/IN.)		2670 / 105.1
LENGTH (MM/IN.)		4695 / 184.8
WIDTH (MM/IN.)		1800 / 70.9
HEIGHT (MM/IN.)		1710 / 67.3
TRACK, FRONT (MM/IN.)		1540 / 60.6
TRACK, REAR (MM/IN.)		1540 / 60.6
MIN. GROUND CLEARANCE (MM/IN.)		185 / 7.3
INTERIOR DIMENSIONS		SE/LE/SEL/GT
PASSENGER SEATING CAPACITY		5
INTERIOR PASSENGER VOLUME (L/CU. FT.)		W/O SUNROOF: 2891 / 102.1
		W/ SUNROOF : 2860 / 101.0
CARGO AREA (BEHIND FRONT SEAT) (L/CU. FT.)		W/O SUNROOF : 1886/ 66.6
		W/ SUNROOF : 1778 / 62.8
CARGO AREA (BEHIND 2 ND ROW SEAT) (L/CU. FT.)		861 / 30.4
PASSENGER SPACE		SE/LE/SEL/GT
FRONT HEAD ROOM (MM/IN.) [W. SUNROOF]		1031 / 40.6 [1014 / 39.9]
FRONT SHOULDER ROOM (MM/IN.)		1432 / 56.4
FRONT HIP ROOM (MM/IN.)		1336 / 52.6
FRONT LEG ROOM (MM/IN.)		1039 / 40.9
2 ND ROW HEAD ROOM (MM/IN.) [W/ SUNROOF]		973 / 38.3 [968 / 38.1]
2ND ROW SHOULDER ROOM (MM/IN.)		1423 / 56.0
2ND ROW HIP ROOM (MM/IN.)		1318 / 51.9
2ND ROW LEG ROOM (MM/IN.)		963 / 37.9
WEIGHTS		SE/LE/SEL/GT
DRIVE TRAIN		S-AWC
GVWR (KG/LBS)		2390/5269
CURB WEIGHT (KG/LBS)		1925/4244
WEIGHT DISTRIBUTION (% F/R)		54/46
TOWING CAPACITY (KG/LBS)		680 /1500
STEERING		SE/LE/SEL/GT
TYPE		ELECTRIC POWER STEERING (EPS)
RATIO		14.7:1
TURNING CIRCLE - CURB TO CURB (M/FT)		10.9 / 35.6
TURNS - LOCK TO LOCK		2.9
BRAKES		SE/LE/SEL/GT
FRONT BRAKE TYPE		VENTILATED DISC
FRONT BRAKE DIAMETER (MM/IN)		295/11.6
REAR BRAKE TYPE		SOLID DISC
REAR BRAKE DIAMETER (MM/IN)		302/11.9
ABS		4 SENSOR, 4 CHANNEL WITH ELECTRONIC BRAKE DISTRIBUTION

FEBRUARY 22, 2021

TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.

MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES.

© 2021 MITSUBISHI MOTOR SALES OF CANADA, INC.



MITSUBISHI MOTOR SALES OF CANADA, INC.

2021 OUTLANDER PHEV

TECHNICAL AND MECHANICAL SPECIFICATIONS

FUEL CAPACITY		SE/LE/SEL/GT	
FUEL TANK CAPACITY (L/IMP. GAL)	43 / 9.4		
ESTIMATED FUEL CONSUMPTION		SE/LE/SEL/GT	
TRANSMISSION	GASOLINE (L/100 KM)	ELECTRIC (LE/100 KM)	
CITY (L/100KMS)	9.2	-	
HIGHWAY (L/100KMS)	9.0	-	
COMBINED (L/100KMS)	9.1	3.2	
WHEELS & TIRES		SE/LE/SEL/GT	
WHEEL TYPE	18X7J ALUMINUM		
WHEEL SIZE	18 INCH		
TIRE SIZE	P225/55R18		
TIRE REPAIR KIT	STANDARD		
WARRANTIES			
BASIC	5 YEARS OR 100,000 KILOMETERS		
POWERTRAIN	10 YEARS OR 160,000 KILOMETERS		
ROADSIDE	5 YEARS OR UNLIMITED KILOMETERS		